



Dynacode

Spare parts list
Parts list




71.57.600

PRINT MECHANISM DYNACODE 53-12, RIGHT




71.57.600

PRINT MECHANISM DYNACODE 53-12, RIGHT



71.57.600

PRINT MECHANISM DYNACODE 53-12, RIGHT



71.57.600

Print mechanism Dynacode 53-12, right

Pos	Ident-No.	Description1	Description2	Quantity
1	10.57.001	Bushing for centering bearing	Dynacode	3
2*	10.57.005	Spocket wheel	Dynacode	1
3	10.57.010	Clamping piece	Dynacode	1
4	10.57.017	Bushing for motor, large	Dynacode	1
5	10.57.023	Bushing for coupling	Dynacode	1
6	10.57.030	Bush bearing	Dynacode	1
7	12.40.480	DISTANCE BOLT M4 X 80		2
8	12.57.001	PIN		1
9	12.57.015	Spring pillar	Dynacode/Flexicode	4
10	12.57.020	Switching pin	Dynacode	1
11	16.57.001	Window	Dynacode	1
12	16.57.015	Limit stop	Dynacode, right	1
13*	18.57.025	Brake conus	Dynacode	2
14	27.03.010	LED holder 5 mm		2
15	28.57.024	Connecting cable pressure switch/motor plate	Dynacode	1
16	28.57.026	Connecting cable encoder/motor plate, right	Dynacode	1
17*	28.57.031	Printhead adapter	Dynacode	1
18	28.57.041	Connecting cable Dual-Reflection encoder	right, Dynacode	1
19	31.03.035	Photocell		1
20	31.57.005	Cooling element	Dynacode	1
21*	37.04.0535	Thermal printhead 53-12	Dynacode/Dynacode II/Flexicode	1
22	37.57.005	Silicon foil self-adhesive	in meters	0,01m
23	37.57.400	Adhesive tape 6 mm		0,01
24*	37.67.001	Short-stroke cylinder	DPM III/Dynacode/Flexicode/DPM IV	1
25*	37.67.002	Switch	DPM III/Dynacode/Flexicode	1
26*	37.67.025	Pneumatic tube 4 mm	DPM III/Dynacode/APX, in meters	0,38m

*Recommended spare part

71.57.600

Print mechanism Dynacode 53-12, right

Pos	Ident-No.	Description1	Description2	Quantity
27*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	0,04m
28	37.67.030	Screw joint connector 4 mm/M5	Dynacode/Flexicode/APX	1
29	37.67.060	Screw joint connector inner thread 8 mm	DPM III/Dynacode	1
30*	37.67.075	Seal ring	DPM III/Dynacode/Flexicode	2
31	40.01.005V	Shaft protection 5 mm stainless		1
32	41.03.003V	Lock washer M3 stainless		9
33	41.03.004V	Lock washer M4 stainless		25
34	42.13.208V	Grooved pin 2 x 8 mm		2
35	42.13.410V	TAPER PIN 4x10 S2 DIN 1472		2
36	42.13.414V	Grooved pin 4 x 14 mm		4
37	42.14.210V	Pin 2 x 10 mm		1
38	43.06.316	Pin 3 x 16 mm		1
39	45.57.001	Carrier plate	Dynacode 53, right	1
40	45.57.010	Cassette plate	Dynacode	1
41	45.57.030	Strut	Dynacode	2
42	45.57.035	Handle	Dynacode	1
43	45.57.041	Carrier plate for coupling	Dynacode	1
44	45.57.042	Bearing for clutch	Dynacode	2
45	45.57.057	Closing lever	Dynacode	1
46	45.57.060	Clamping piece	Dynacode	1
47	45.57.065	Guiding plate	Dynacode, right	1
48	45.57.075	Hose clamp	Dynacode	1
49	45.57.080	Cover		1
50	45.57.085	BRACKET		1
51	45.57.090	Bracket for cover	Dynacode	1
52	45.57.105	Cover plate	Dynacode 53	1

*Recommended spare part

71.57.600

Print mechanism Dynacode 53-12, right

Pos	Ident-No.	Description1	Description2	Quantity
53	45.57.110	Sole plate	Dynacode 53, right	1
54	45.57.120	Guiding carriage	Dynacode 53, right	1
55	45.57.145	Adjusting device	Dynacode 53	1
56	46.57.001	Cross bar	Dynacode	1
57	46.57.100	Centering ledge	Dynacode 53/Flexicode /ILX	3
58	46.57.105	Centering bearing	Dynacode 53	3
59	46.57.115	Bearing pillar	Dynacode 53	1
60	46.57.120	Ribbon rewinding/unwinding pillar	Dynacode 53	2
61	46.57.130	Printhead shaft	Dynacode 53	1
62	46.57.140	Pillar	Dynacode 53	1
63	47.05.001V	Hexagon nut M4 stainless		3
64	47.57.001	Nut M2	Dynacode	4
65	48.10.004V	Setscrew M3x4 stainless		2
66	48.10.005V	Setscrew M4x4 stainless		3
67	48.10.406V	Setscrew M4x6 stainless		1
68	48.10.408V	Setscrew M4x8 stainless		4
69	48.10.505V	Setscrew M5x5 stainless		4
70	48.14.105V	Pan screw M2x5 stainless		14
71	48.14.110V	Pan screw M2x10 stainless		6
72	48.14.306V	Pan screw M3x6 stainless		3
73	48.15.002V	Pan screw M4x10 stainless		1
74	48.15.003V	Countersunk screw M3x6 stainless		11
75	48.15.210V	Pan screw M2.5x10 stainless		1
76	48.15.304V	Countersunk screw M3x4 stainless		2
77	48.15.308V	Countersunk screw M3x8 stainless		4
78	48.16.006V	Socket cap screw M5x12		21

*Recommended spare part

71.57.600

Print mechanism Dynacode 53-12, right

Pos	Ident-No.	Description1	Description2	Quantity
79	48.16.306V	Socket cap screw M3x6 stainless		13
80	48.16.312V	Socket cap screw M3x12 stainless		13
81	48.16.316V	Socket cap screw M3x16 stainless		4
82	48.16.410V	Socket cap screw M4x10 stainless		16
83	48.16.412V	Socket cap screw M4x12 stainless		13
84	48.16.416V	Socket cap screw M4x16 stainless		4
85	48.16.430V	Socket cap screw M4x30 stainless		1
86	48.16.460V	Socket cap screw M4x60 stainless		4
87	48.18.010	Spring pressure piece		2
88	48.19.306V	Socket cap screw M3x6 stainless		2
89	48.19.410V	Socket cap screw M4x10 stainless		2
90	48.19.612V	Socket cap screw M6x12 stainless		3
91	48.20.408V	Socket cap screw M4x8 stainless		5
92	48.57.001	Screw	Dynacode	1
93	48.57.005	Screw	Dynacode/LPM II	2
94	50.01.057V	Washer 3.2 stainless		2
95	50.01.065V	Lock washer 4.3 stainless		7
96*	52.57.002	Spring, right	Dynacode	1
97*	52.57.006	Spring, left	Dynacode	1
98*	52.57.017	Tension spring	Dynacode	1
99*	52.57.020	Tension spring	Dynacode/Flexicode	2
100	52.57.025	Compression spring	Dynacode	4
101	52.57.110	Spring sheet	Dynacode 107/Dynacode 128	4
102*	57.01.008	Grooved ball bearing		1
103	57.02.001	Bearing bush 06x08x06		1
104	57.02.210	Sintered bronze flanged bushing		1

*Recommended spare part

71.57.600

Print mechanism Dynacode 53-12, right

Pos	Ident-No.	Description1	Description2	Quantity
105*	57.57.073	Slide mounting	Dynacode 53	1
106	59.57.005	Toothed belt wheel	Dynacode/Flexicode	1
107	59.57.015	Toothed belt wheel	Dynacode	1
108	59.57.020	Toothed belt wheel	Dynacode	1
109*	59.57.218	Toothed belt	Dynacode	1
110*	59.57.339	Toothed belt	Dynacode	1
111	67.57.005	Cover, behind	Dynacode	1
112	67.57.015	Connecting plate	Dynacode	1
113	67.57.030	INTERMEDIATE PLATE		1
114*	67.57.035	Keeper	Dynacode	1
115	67.57.045	Supporting plate	Dynacode	1
116	67.57.050	Sole plate for clutch	Dynacode	1
117	67.57.060	Washer	Dynacode	1
118	67.57.100	Cover plate	Dynacode 53, right	1
119	67.57.110	Cover on the side, right	Dynacode 53	1
120	67.57.115	Cover on the side, left	Dynacode 53	1
121*	70.57.015	Motor board	Dynacode	1
122	70.57.022	Circuit board	Dynacode	1
123	71.57.010	Clutch cpl	Dynacode	1
124	71.57.011	Serial stepper motor cpl	Dynacode	1
125	71.57.012	Parallel stepper motor cpl	Dynacode	1
126	71.57.013	Stepper motor ribbon rewinder	Dynacode	1
127*	71.57.020	Valve cpl	Dynacode	1
128*	71.57.022	Cassette switch cpl	Dynacode 53	1
129*	71.57.023	Final position switch cpl	Dynacode	2
130	71.57.025	LED cpl	Dynacode	1

*Recommended spare part


71.57.600

Print mechanism Dynacode 53-12, right


Pos	Ident-No.	Description1	Description2	Quantity
131	71.57.040	Photocell dual transmission encoder	Dynacode	2
132	72.57.001	Toothed belt wheel cpl	Dynacode/Flexicode	1
133*	72.57.025A	Centering bushing cpl	Dynacode	2
134*	72.57.100	Bogie wheel	Dynacode 53	1
135*	72.57.110	Return pulley	Dynacode 53	3
136	72.57.125	Ribbon rewinding/unwinding roller cpl	Dynacode 53	2
137	72.57.130	Printhead bracket cpl	Dynacode 53	1
138	72.57.135	Interlayer cpl, right	Dynacode 53, right	1
139	72.57.140	Pressure bracket cpl, right	Dynacode 53, right	1
140	72.57.145	Guiding roller cpl	Dynacode 53	1

*Recommended spare part

PRINT MECHANISM DYNACODE 53-12, LEFT




PRINT MECHANISM DYNACODE 53-12, LEFT



71.57.650

PRINT MECHANISM DYNACODE 53-12, LEFT



71.57.650

Print mechanism Dynacode 53-12, left

Pos	Ident-No.	Description1	Description2	Quantity
1	10.57.001	Bushing for centering bearing	Dynacode	3
2*	10.57.005	Spocket wheel	Dynacode	1
3	10.57.010	Clamping piece	Dynacode	1
4	10.57.017	Bushing for motor, large	Dynacode	1
5	10.57.023	Bushing for coupling	Dynacode	1
6	10.57.030	Bush bearing	Dynacode	1
7	12.40.480	DISTANCE BOLT M4 X 80		2
8	12.57.001	PIN		1
9	12.57.015	Spring pillar	Dynacode/Flexicode	4
10	12.57.020	Switching pin	Dynacode	1
11	16.57.001	Window	Dynacode	1
12	16.57.020	Limit stop	Dynacode, left	1
13*	18.57.025	Brake conus	Dynacode	2
14	27.03.010	LED holder 5 mm		2
15	28.57.024	Connecting cable pressure switch/motor plate	Dynacode	1
16	28.57.025	Connecting cable encoder/motor plate, left	Dynacode	1
17*	28.57.031	Printhead adapter	Dynacode	1
18	28.57.040	Connecting cable Dual-Reflection encoder	left, Dynacode	1
19	31.03.035	Photocell		1
20	31.57.005	Cooling element	Dynacode	1
21*	37.04.0535	Thermal printhead 53-12	Dynacode/Dynacode II/Flexicode	1
22	37.57.005	Silicon foil self-adhesive	in meters	0,01m
23	37.57.400	Adhesive tape 6 mm		0,01
24*	37.67.001	Short-stroke cylinder	DPM III/Dynacode/Flexicode/DPM IV	1
25*	37.67.002	Switch	DPM III/Dynacode/Flexicode	1
26*	37.67.025	Pneumatic tube 4 mm	DPM III/Dynacode/APX, in meters	0,38m

*Recommended spare part

71.57.650

Print mechanism Dynacode 53-12, left

Pos	Ident-No.	Description1	Description2	Quantity
27*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	0,04m
28	37.67.030	Screw joint connector 4 mm/M5	Dynacode/Flexicode/APX	1
29	37.67.060	Screw joint connector inner thread 8 mm	DPM III/Dynacode	1
30*	37.67.075	Seal ring	DPM III/Dynacode/Flexicode	2
31	40.01.005V	Shaft protection 5 mm stainless		1
32	41.03.003V	Lock washer M3 stainless		9
33	41.03.004V	Lock washer M4 stainless		25
34	42.13.208V	Grooved pin 2 x 8 mm		2
35	42.13.410V	TAPER PIN 4x10 S2 DIN 1472		2
36	42.13.414V	Grooved pin 4 x 14 mm		4
37	42.14.210V	Pin 2 x 10 mm		1
38	43.06.316	Pin 3 x 16 mm		1
39	45.57.005	Carrier plate	Dynacode 53, left	1
40	45.57.010	Cassette plate	Dynacode	1
41	45.57.030	Strut	Dynacode	2
42	45.57.035	Handle	Dynacode	1
43	45.57.041	Carrier plate for coupling	Dynacode	1
44	45.57.042	Bearing for clutch	Dynacode	2
45	45.57.057	Closing lever	Dynacode	1
46	45.57.060	Clamping piece	Dynacode	1
47	45.57.070	GUIDE PLATE		1
48	45.57.075	Hose clamp	Dynacode	1
49	45.57.080	Cover		1
50	45.57.085	BRACKET		1
51	45.57.090	Bracket for cover	Dynacode	1
52	45.57.105	Cover plate	Dynacode 53	1

*Recommended spare part

71.57.650

Print mechanism Dynacode 53-12, left

Pos	Ident-No.	Description1	Description2	Quantity
53	45.57.115	Sole plate		1
54	45.57.125	Guiding carriage	Dynacode 53, left	1
55	45.57.145	Adjusting device	Dynacode 53	1
56	46.57.001	Cross bar	Dynacode	1
57	46.57.100	Centering ledge	Dynacode 53/Flexicode /ILX	3
58	46.57.105	Centering bearing	Dynacode 53	3
59	46.57.115	Bearing pillar	Dynacode 53	1
60	46.57.120	Ribbon rewinding/unwinding pillar	Dynacode 53	2
61	46.57.130	Printhead shaft	Dynacode 53	1
62	46.57.140	Pillar	Dynacode 53	1
63	47.05.001V	Hexagon nut M4 stainless		3
64	47.57.001	Nut M2	Dynacode	4
65	48.10.004V	Setscrew M3x4 stainless		2
66	48.10.005V	Setscrew M4x4 stainless		3
67	48.10.406V	Setscrew M4x6 stainless		1
68	48.10.408V	Setscrew M4x8 stainless		4
69	48.10.505V	Setscrew M5x5 stainless		4
70	48.14.105V	Pan screw M2x5 stainless		14
71	48.14.110V	Pan screw M2x10 stainless		6
72	48.14.306V	Pan screw M3x6 stainless		3
73	48.15.002V	Pan screw M4x10 stainless		1
74	48.15.003V	Countersunk screw M3x6 stainless		11
75	48.15.210V	Pan screw M2.5x10 stainless		1
76	48.15.304V	Countersunk screw M3x4 stainless		2
77	48.15.308V	Countersunk screw M3x8 stainless		4
78	48.16.006V	Socket cap screw M5x12		21

*Recommended spare part

71.57.650

Print mechanism Dynacode 53-12, left

Pos	Ident-No.	Description1	Description2	Quantity
79	48.16.306V	Socket cap screw M3x6 stainless		13
80	48.16.312V	Socket cap screw M3x12 stainless		13
81	48.16.316V	Socket cap screw M3x16 stainless		4
82	48.16.410V	Socket cap screw M4x10 stainless		16
83	48.16.412V	Socket cap screw M4x12 stainless		13
84	48.16.416V	Socket cap screw M4x16 stainless		4
85	48.16.430V	Socket cap screw M4x30 stainless		1
86	48.16.460V	Socket cap screw M4x60 stainless		4
87	48.18.010	Spring pressure piece		2
88	48.19.306V	Socket cap screw M3x6 stainless		2
89	48.19.410V	Socket cap screw M4x10 stainless		2
90	48.19.612V	Socket cap screw M6x12 stainless		3
91	48.20.408V	Socket cap screw M4x8 stainless		5
92	48.57.001	Screw	Dynacode	1
93	48.57.005	Screw	Dynacode/LPM II	2
94	50.01.057V	Washer 3.2 stainless		2
95	50.01.065V	Lock washer 4.3 stainless		7
96*	52.57.002	Spring, right	Dynacode	1
97*	52.57.006	Spring, left	Dynacode	1
98*	52.57.017	Tension spring	Dynacode	1
99*	52.57.020	Tension spring	Dynacode/Flexicode	2
100	52.57.025	Compression spring	Dynacode	4
101	52.57.110	Spring sheet	Dynacode 107/Dynacode 128	4
102*	57.01.008	Grooved ball bearing		1
103	57.02.001	Bearing bush 06x08x06		1
104	57.02.210	Sintered bronze flanged bushing		1

*Recommended spare part

71.57.650

Print mechanism Dynacode 53-12, left

Pos	Ident-No.	Description1	Description2	Quantity
105*	57.57.073	Slide mounting	Dynacode 53	1
106	59.57.005	Toothed belt wheel	Dynacode/Flexicode	1
107	59.57.015	Toothed belt wheel	Dynacode	1
108	59.57.020	Toothed belt wheel	Dynacode	1
109*	59.57.218	Toothed belt	Dynacode	1
110*	59.57.339	Toothed belt	Dynacode	1
111	67.57.005	Cover, behind	Dynacode	1
112	67.57.015	Connecting plate	Dynacode	1
113	67.57.030	INTERMEDIATE PLATE		1
114*	67.57.035	Keeper	Dynacode	1
115	67.57.045	Supporting plate	Dynacode	1
116	67.57.050	Sole plate for clutch	Dynacode	1
117	67.57.060	Washer	Dynacode	1
118	67.57.105	COVER PLATE		1
119	67.57.110	Cover on the side, right	Dynacode 53	1
120	67.57.115	Cover on the side, left	Dynacode 53	1
121*	70.57.015	Motor board	Dynacode	1
122	70.57.022	Circuit board	Dynacode	1
123	71.57.010	Clutch cpl	Dynacode	1
124	71.57.011	Serial stepper motor cpl	Dynacode	1
125	71.57.012	Parallel stepper motor cpl	Dynacode	1
126	71.57.013	Stepper motor ribbon rewinder	Dynacode	1
127*	71.57.020	Valve cpl	Dynacode	1
128*	71.57.022	Cassette switch cpl	Dynacode 53	1
129*	71.57.023	Final position switch cpl	Dynacode	2
130	71.57.025	LED cpl	Dynacode	1

*Recommended spare part


71.57.650

Print mechanism Dynacode 53-12, left

Pos	Ident-No.	Description1	Description2	Quantity
131	71.57.040	Photocell dual transmission encoder	Dynacode	2
132	72.57.001	Toothed belt wheel cpl	Dynacode/Flexicode	1
133*	72.57.025A	Centering bushing cpl	Dynacode	2
134*	72.57.100	Bogie wheel	Dynacode 53	1
135*	72.57.110	Return pulley	Dynacode 53	3
136	72.57.125	Ribbon rewinding/unwinding roller cpl	Dynacode 53	2
137	72.57.130	Printhead bracket cpl	Dynacode 53	1
138	72.57.137	Interlayer cpl, left	Dynacode 53, left	1
139	72.57.142	Pressure bracket cpl, left	Dynacode 53, left	1
140	72.57.145	Guiding roller cpl	Dynacode 53	1


*Recommended spare part

PRINT MECHANISM DYNACODE 107-12, RIGHT




71.57.700

PRINT MECHANISM DYNACODE 107-12, RIGHT



PRINT MECHANISM DYNACODE 107-12, RIGHT



71.57.700

Print mechanism Dynacode 107-12, right

Pos	Ident-No.	Description1	Description2	Quantity
1	10.57.001	Bushing for centering bearing	Dynacode	3
2*	10.57.005	Spocket wheel	Dynacode	1
3	10.57.010	Clamping piece	Dynacode	1
4	10.57.017	Bushing for motor, large	Dynacode	1
5	10.57.023	Bushing for coupling	Dynacode	1
6	10.57.030	Bush bearing	Dynacode	1
7	10.57.201	SCREW-IN CONNECTION		2
8	12.40.480	DISTANCE BOLT M4 X 80		2
9	12.57.001	PIN		1
10	12.57.015	Spring pillar	Dynacode/Flexicode	4
11	12.57.020	Switching pin	Dynacode	1
12	16.57.001	Window	Dynacode	1
13	16.57.015	Limit stop	Dynacode, right	1
14*	18.01.011	RING 5x1		2
15*	18.57.025	Brake conus	Dynacode	2
16	27.03.010	LED holder 5 mm		2
17	28.57.024	Connecting cable pressure switch/motor plate	Dynacode	1
18	28.57.026	Connecting cable encoder/motor plate, right	Dynacode	1
19*	28.57.032	Printhead adapter	Dynacode	1
20*	28.57.033	Printhead cable, power supply	Dynacode	1
21	28.57.041	Connecting cable Dual-Reflection encoder	right, Dynacode	1
22	31.03.035	Photocell		1
23	31.57.005	Cooling element	Dynacode	1
24*	37.04.1010	Thermal printhead 107-12	Spectra II/SPE II/LPM II/Dynacode/Duoprint	1
25	37.57.005	Silicon foil self-adhesive	in meters	0,01m
26	37.57.201	SEAL RING		1

*Recommended spare part

71.57.700

Print mechanism Dynacode 107-12, right

Pos	Ident-No.	Description1	Description2	Quantity
27	37.57.205	SEAL RING		2
28	37.57.400	Adhesive tape 6 mm		0,01
29*	37.67.001	Short-stroke cylinder	DPM III/Dynacode/Flexicode/DPM IV	2
30*	37.67.002	Switch	DPM III/Dynacode/Flexicode	1
31*	37.67.025	Pneumatic tube 4 mm	DPM III/Dynacode/APX, in meters	0,42m
32*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	0,04m
33	37.67.060	Screw joint connector inner thread 8 mm	DPM III/Dynacode	1
34*	37.67.075	Seal ring	DPM III/Dynacode/Flexicode	2
35	40.01.005V	Shaft protection 5 mm stainless		1
36	41.03.003V	Lock washer M3 stainless		9
37	41.03.004V	Lock washer M4 stainless		25
38	42.13.208V	Grooved pin 2 x 8 mm		2
39	42.13.410V	TAPER PIN 4x10 S2 DIN 1472		2
40	42.13.414V	Grooved pin 4 x 14 mm		4
41	42.14.210V	Pin 2 x 10 mm		1
42	43.06.316	Pin 3 x 16 mm		1
43	45.57.003	Carrier plate		1
44	45.57.010	Cassette plate	Dynacode	1
45	45.57.030	Strut	Dynacode	2
46	45.57.035	Handle	Dynacode	1
47	45.57.041	Carrier plate for coupling	Dynacode	1
48	45.57.042	Bearing for clutch	Dynacode	2
49	45.57.057	Closing lever	Dynacode	1
50	45.57.060	Clamping piece	Dynacode	1
51	45.57.075	Hose clamp	Dynacode	1
52	45.57.085	BRACKET		1

*Recommended spare part

71.57.700

Print mechanism Dynacode 107-12, right

Pos	Ident-No.	Description1	Description2	Quantity
53	45.57.090	Bracket for cover	Dynacode	1
54	45.57.205	Cover plate	Dynacode 107	1
55	45.57.210	Sole plate	Dynacode 107, right	1
56	45.57.220	Guiding carriage	Dynacode 107, right	1
57	45.57.245	ADJUSTING PART		1
58	45.57.252	Cable clip outside, for power cable	Dynacode 107/Dynacode 128	1
59	45.57.257	Cable clip inside, for powre cable	Dynacode 107/Dynacode 128	1
60	45.57.265	GUIDING PLATE		1
61	45.57.280	Cover	Dynacode 107/Dynacode 128, right	1
62	46.57.001	Cross bar	Dynacode	1
63	46.57.200	Centering ledge	Dynacode 107/ILX 10X	3
64	46.57.205	Centering bearing	Dynacode 107	3
65	46.57.215	Bearing pillar	Dynacode 107	1
66	46.57.220	Ribbon rewinding/unwinding pillar	Dynacode 107	2
67	46.57.230	Printhead shaft	Dynacode 107	1
68	46.57.240	Guiding pillar	Dynacode 107	1
69	47.05.001V	Hexagon nut M4 stainless		3
70	47.57.001	Nut M2	Dynacode	4
71	48.10.004V	Setscrew M3x4 stainless		2
72	48.10.005V	Setscrew M4x4 stainless		3
73	48.10.406V	Setscrew M4x6 stainless		1
74	48.10.408V	Setscrew M4x8 stainless		4
75	48.10.505V	Setscrew M5x5 stainless		4
76	48.14.105V	Pan screw M2x5 stainless		14
77	48.14.110V	Pan screw M2x10 stainless		6
78	48.14.306V	Pan screw M3x6 stainless		3

*Recommended spare part

71.57.700

Print mechanism Dynacode 107-12, right

Pos	Ident-No.	Description1	Description2	Quantity
79	48.15.002V	Pan screw M4x10 stainless		1
80	48.15.003V	Countersunk screw M3x6 stainless		11
81	48.15.210V	Pan screw M2.5x10 stainless		1
82	48.15.304V	Countersunk screw M3x4 stainless		2
83	48.15.308V	Countersunk screw M3x8 stainless		4
84	48.15.312V	Countersunk screw M3x12 stainless		1
85	48.16.006V	Socket cap screw M5x12		21
86	48.16.306V	Socket cap screw M3x6 stainless		21
87	48.16.312V	Socket cap screw M3x12 stainless		17
88	48.16.316V	Socket cap screw M3x16 stainless		6
89	48.16.410V	Socket cap screw M4x10 stainless		16
90	48.16.412V	Socket cap screw M4x12 stainless		12
91	48.16.416V	Socket cap screw M4x16 stainless		4
92	48.16.430V	Socket cap screw M4x30 stainless		1
93	48.16.460V	Socket cap screw M4x60 stainless		4
94	48.18.010	Spring pressure piece		2
95	48.19.306V	Socket cap screw M3x6 stainless		2
96	48.19.410V	Socket cap screw M4x10 stainless		2
97	48.19.612V	Socket cap screw M6x12 stainless		3
98	48.20.408V	Socket cap screw M4x8 stainless		5
99	48.57.001	Screw	Dynacode	1
100	48.57.005	Screw	Dynacode/LPM II	2
101	50.01.057V	Washer 3.2 stainless		2
102	50.01.065V	Lock washer 4.3 stainless		7
103*	52.57.002	Spring, right	Dynacode	1
104*	52.57.006	Spring, left	Dynacode	1

*Recommended spare part

71.57.700

Print mechanism Dynacode 107-12, right

Pos	Ident-No.	Description1	Description2	Quantity
105*	52.57.017	Tension spring	Dynacode	1
106*	52.57.020	Tension spring	Dynacode/Flexicode	2
107	52.57.025	Compression spring	Dynacode	4
108	52.57.110	Spring sheet	Dynacode 107/Dynacode 128	8
109*	57.01.008	Grooved ball bearing		1
110	57.02.001	Bearing bush 06x08x06		1
111	57.02.210	Sintered bronze flanged bushing		1
112*	57.57.075	Slide mounting	Dynacode 107/Dynacode 128	2
113	59.57.005	Toothed belt wheel	Dynacode/Flexicode	1
114	59.57.015	Toothed belt wheel	Dynacode	1
115	59.57.020	Toothed belt wheel	Dynacode	1
116*	59.57.218	Toothed belt	Dynacode	1
117*	59.57.339	Toothed belt	Dynacode	1
118	67.57.005	Cover, behind	Dynacode	1
119	67.57.015	Connecting plate	Dynacode	1
120	67.57.030	INTERMEDIATE PLATE		1
121*	67.57.035	Keeper	Dynacode	1
122	67.57.045	Supporting plate	Dynacode	1
123	67.57.050	Sole plate for clutch	Dynacode	1
124	67.57.060	Washer	Dynacode	1
125	67.57.200	Cover plate	Dynacode 107, right	1
126	67.57.210	Cover on the side, right	Dynacode 107	1
127	67.57.215	Cover on the side, left	Dynacode 107	1
128*	70.57.015	Motor board	Dynacode	1
129	70.57.022	Circuit board	Dynacode	1
130	71.57.010	Clutch cpl	Dynacode	1

*Recommended spare part


71.57.700

Print mechanism Dynacode 107-12, right

Pos	Ident-No.	Description1	Description2	Quantity
131	71.57.011	Serial stepper motor cpl	Dynacode	1
132	71.57.012	Parallel stepper motor cpl	Dynacode	1
133	71.57.013	Stepper motor ribbon rewiner	Dynacode	1
134*	71.57.020	Valve cpl	Dynacode	1
135	71.57.021	Cassette switch cpl	Dynacode 107/Dynacode 128	1
136*	71.57.023	Final position switch cpl	Dynacode	2
137	71.57.025	LED cpl	Dynacode	1
138	71.57.040	Photocell dual transmission encoder	Dynacode	2
139	72.57.001	Toothed belt wheel cpl	Dynacode/Flexicode	1
140*	72.57.025A	Centering bushing cpl	Dynacode	2
141*	72.57.200	Bogie wheel	Dynacode 107	1
142*	72.57.210	Return pulley	Dynacode 107	3
143	72.57.225	Ribbon rewinding/unwinding roller cpl	Dynacode 107	2
144	72.57.230	Printhead bracket cpl	Dynacode 107	1
145	72.57.235	Interlayer cpl, right	Dynacode 107, right	1
146	72.57.240	Andruckbügel kpl. DYNACODE 107 rechts	Dynacode 107, right	1
147	72.57.245	Guiding roller cpl	Dynacode 107	1


*Recommended spare part

PRINT MECHANISM DYNACODE 107-12, LEFT




71.57.750

PRINT MECHANISM DYNACODE 107-12, LEFT



71.57.750

PRINT MECHANISM DYNACODE 107-12, LEFT



71.57.750

Print mechanism Dynacode 107-12, left

Pos	Ident-No.	Description1	Description2	Quantity
1	10.57.001	Bushing for centering bearing	Dynacode	3
2*	10.57.005	Spocket wheel	Dynacode	1
3	10.57.010	Clamping piece	Dynacode	1
4	10.57.017	Bushing for motor, large	Dynacode	1
5	10.57.023	Bushing for coupling	Dynacode	1
6	10.57.030	Bush bearing	Dynacode	1
7	10.57.201	SCREW-IN CONNECTION		2
8	12.40.480	DISTANCE BOLT M4 X 80		2
9	12.57.001	PIN		1
10	12.57.015	Spring pillar	Dynacode/Flexicode	4
11	12.57.020	Switching pin	Dynacode	1
12	16.57.001	Window	Dynacode	1
13	16.57.020	Limit stop	Dynacode, left	1
14*	18.01.011	RING 5x1		2
15*	18.57.025	Brake conus	Dynacode	2
16	27.03.010	LED holder 5 mm		2
17	28.57.024	Connecting cable pressure switch/motor plate	Dynacode	1
18	28.57.025	Connecting cable encoder/motor plate, left	Dynacode	1
19*	28.57.032	Printhead adapter	Dynacode	1
20*	28.57.033	Printhead cable, power supply	Dynacode	1
21	28.57.040	Connecting cable Dual-Reflection encoder	left, Dynacode	1
22	31.03.035	Photocell		1
23	31.57.005	Cooling element	Dynacode	1
24*	37.04.1010	Thermal printhead 107-12	Spectra II/SPE II/LPM II/Dynacode/Duoprint	1
25	37.57.005	Silicon foil self-adhesive	in meters	0,01m
26	37.57.201	SEAL RING		1

*Recommended spare part

71.57.750

Print mechanism Dynacode 107-12, left

Pos	Ident-No.	Description1	Description2	Quantity
27	37.57.205	SEAL RING		2
28	37.57.400	Adhesive tape 6 mm		0,01
29*	37.67.001	Short-stroke cylinder	DPM III/Dynacode/Flexicode/DPM IV	2
30*	37.67.002	Switch	DPM III/Dynacode/Flexicode	1
31*	37.67.025	Pneumatic tube 4 mm	DPM III/Dynacode/APX, in meters	0,38m
32*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	0,04m
33	37.67.060	Screw joint connector inner thread 8 mm	DPM III/Dynacode	1
34*	37.67.075	Seal ring	DPM III/Dynacode/Flexicode	2
35	40.01.005V	Shaft protection 5 mm stainless		1
36	41.03.003V	Lock washer M3 stainless		9
37	41.03.004V	Lock washer M4 stainless		25
38	42.13.208V	Grooved pin 2 x 8 mm		2
39	42.13.410V	TAPER PIN 4x10 S2 DIN 1472		2
40	42.13.414V	Grooved pin 4 x 14 mm		4
41	42.14.210V	Pin 2 x 10 mm		1
42	43.06.316	Pin 3 x 16 mm		1
43	45.57.007	Carrier plate		1
44	45.57.010	Cassette plate	Dynacode	1
45	45.57.030	Strut	Dynacode	2
46	45.57.035	Handle	Dynacode	1
47	45.57.041	Carrier plate for coupling	Dynacode	1
48	45.57.042	Bearing for clutch	Dynacode	2
49	45.57.057	Closing lever	Dynacode	1
50	45.57.060	Clamping piece	Dynacode	1
51	45.57.075	Hose clamp	Dynacode	1
52	45.57.085	BRACKET		1

*Recommended spare part

71.57.750

Print mechanism Dynacode 107-12, left

Pos	Ident-No.	Description1	Description2	Quantity
53	45.57.090	Bracket for cover	Dynacode	1
54	45.57.205	Cover plate	Dynacode 107	1
55	45.57.215	Sole plate		1
56	45.57.225	Guiding carriage	Dynacode 107, left	1
57	45.57.245	ADJUSTING PART		1
58	45.57.250	Cable clip outside, for signal cable	Dynacode 107/Dynacode 128, left	1
59	45.57.252	Cable clip outside, for power cable	Dynacode 107/Dynacode 128	1
60	45.57.255	Cable clip inside, for signal cable	Dynacode 107/Dynacode 128, left	1
61	45.57.257	Cable clip inside, for powre cable	Dynacode 107/Dynacode 128	1
62	45.57.270	Guiding plate, left	Dynacode 107/Dynacode 128, left	1
63	45.57.282	Cover	Dynacode 107/Dynacode 128, left	1
64	46.57.001	Cross bar	Dynacode	1
65	46.57.200	Centering ledge	Dynacode 107/ILX 10X	3
66	46.57.205	Centering bearing	Dynacode 107	3
67	46.57.215	Bearing pillar	Dynacode 107	1
68	46.57.220	Ribbon rewinding/unwinding pillar	Dynacode 107	2
69	46.57.230	Printhead shaft	Dynacode 107	1
70	46.57.240	Guiding pillar	Dynacode 107	1
71	47.05.001V	Hexagon nut M4 stainless		3
72	47.57.001	Nut M2	Dynacode	4
73	48.10.004V	Setscrew M3x4 stainless		2
74	48.10.005V	Setscrew M4x4 stainless		3
75	48.10.406V	Setscrew M4x6 stainless		1
76	48.10.408V	Setscrew M4x8 stainless		4
77	48.10.505V	Setscrew M5x5 stainless		4
78	48.14.105V	Pan screw M2x5 stainless		14

*Recommended spare part

71.57.750

Print mechanism Dynacode 107-12, left

Pos	Ident-No.	Description1	Description2	Quantity
79	48.14.110V	Pan screw M2x10 stainless		6
80	48.14.306V	Pan screw M3x6 stainless		3
81	48.15.002V	Pan screw M4x10 stainless		1
82	48.15.003V	Countersunk screw M3x6 stainless		11
83	48.15.210V	Pan screw M2.5x10 stainless		1
84	48.15.304V	Countersunk screw M3x4 stainless		2
85	48.15.308V	Countersunk screw M3x8 stainless		5
86	48.15.312V	Countersunk screw M3x12 stainless		1
87	48.16.006V	Socket cap screw M5x12		21
88	48.16.306V	Socket cap screw M3x6 stainless		21
89	48.16.312V	Socket cap screw M3x12 stainless		17
90	48.16.316V	Socket cap screw M3x16 stainless		6
91	48.16.410V	Socket cap screw M4x10 stainless		16
92	48.16.412V	Socket cap screw M4x12 stainless		12
93	48.16.416V	Socket cap screw M4x16 stainless		4
94	48.16.430V	Socket cap screw M4x30 stainless		1
95	48.16.460V	Socket cap screw M4x60 stainless		4
96	48.18.010	Spring pressure piece		2
97	48.19.306V	Socket cap screw M3x6 stainless		2
98	48.19.410V	Socket cap screw M4x10 stainless		2
99	48.19.612V	Socket cap screw M6x12 stainless		3
100	48.20.408V	Socket cap screw M4x8 stainless		5
101	48.57.001	Screw	Dynacode	1
102	48.57.005	Screw	Dynacode/LPM II	2
103	50.01.057V	Washer 3.2 stainless		2
104	50.01.065V	Lock washer 4.3 stainless		7

*Recommended spare part

71.57.750

Print mechanism Dynacode 107-12, left

Pos	Ident-No.	Description1	Description2	Quantity
105*	52.57.002	Spring, right	Dynacode	1
106*	52.57.006	Spring, left	Dynacode	1
107*	52.57.017	Tension spring	Dynacode	1
108*	52.57.020	Tension spring	Dynacode/Flexicode	2
109	52.57.025	Compression spring	Dynacode	4
110	52.57.110	Spring sheet	Dynacode 107/Dynacode 128	8
111*	57.01.008	Grooved ball bearing		1
112	57.02.001	Bearing bush 06x08x06		1
113	57.02.210	Sintered bronze flanged bushing		1
114*	57.57.075	Slide mounting	Dynacode 107/Dynacode 128	2
115	59.57.005	Toothed belt wheel	Dynacode/Flexicode	1
116	59.57.015	Toothed belt wheel	Dynacode	1
117	59.57.020	Toothed belt wheel	Dynacode	1
118*	59.57.218	Toothed belt	Dynacode	1
119*	59.57.339	Toothed belt	Dynacode	1
120	67.57.005	Cover, behind	Dynacode	1
121	67.57.015	Connecting plate	Dynacode	1
122	67.57.030	INTERMEDIATE PLATE		1
123*	67.57.035	Keeper	Dynacode	1
124	67.57.045	Supporting plate	Dynacode	1
125	67.57.050	Sole plate for clutch	Dynacode	1
126	67.57.060	Washer	Dynacode	1
127	67.57.205	COVER PLATE		1
128	67.57.210	Cover on the side, right	Dynacode 107	1
129	67.57.215	Cover on the side, left	Dynacode 107	1
130*	70.57.015	Motor board	Dynacode	1

*Recommended spare part

71.57.750


Print mechanism Dynacode 107-12, left

Pos	Ident-No.	Description1	Description2	Quantity
131	70.57.022	Circuit board	Dynacode	1
132	71.57.010	Clutch cpl	Dynacode	1
133	71.57.011	Serial stepper motor cpl	Dynacode	1
134	71.57.012	Parallel stepper motor cpl	Dynacode	1
135	71.57.013	Stepper motor ribbon rewinder	Dynacode	1
136*	71.57.020	Valve cpl	Dynacode	1
137	71.57.021	Cassette switch cpl	Dynacode 107/Dynacode 128	1
138*	71.57.023	Final position switch cpl	Dynacode	2
139	71.57.025	LED cpl	Dynacode	1
140	71.57.040	Photocell dual transmission encoder	Dynacode	2
141	72.57.001	Toothed belt wheel cpl	Dynacode/Flexicode	1
142*	72.57.025A	Centering bushing cpl	Dynacode	2
143*	72.57.200	Bogie wheel	Dynacode 107	1
144*	72.57.210	Return pulley	Dynacode 107	3
145	72.57.225	Ribbon rewinding/unwinding roller cpl	Dynacode 107	2
146	72.57.230	Printhead bracket cpl	Dynacode 107	1
147	72.57.237	Interlayer cpl, left	Dynacode 107, left	1
148	72.57.242	Pressure bracket cpl	Dynacode 107, left	1
149	72.57.245	Guiding roller cpl	Dynacode 107	1


*Recommended spare part

71.57.800

PRINT MECHANISM DYNACODE 128-12, RIGHT




PRINT MECHANISM DYNACODE 128-12, RIGHT



71.57.800

PRINT MECHANISM DYNACODE 128-12, RIGHT



71.57.800

Print mechanism Dynacode 128-12, right

Pos	Ident-No.	Description1	Description2	Quantity
1	10.57.001	Bushing for centering bearing	Dynacode	3
2*	10.57.005	Spocket wheel	Dynacode	1
3	10.57.010	Clamping piece	Dynacode	1
4	10.57.017	Bushing for motor, large	Dynacode	1
5	10.57.023	Bushing for coupling	Dynacode	1
6	10.57.030	Bush bearing	Dynacode	1
7	10.57.201	SCREW-IN CONNECTION		1
8	10.57.301	SCREW-IN CONNECTION		1
9	12.40.480	DISTANCE BOLT M4 X 80		2
10	12.57.001	PIN		1
11	12.57.015	Spring pillar	Dynacode/Flexicode	4
12	12.57.020	Switching pin	Dynacode	1
13	16.57.001	Window	Dynacode	1
14	16.57.015	Limit stop	Dynacode, right	1
15*	18.01.011	RING 5x1		2
16*	18.57.025	Brake conus	Dynacode	2
17	27.03.010	LED holder 5 mm		2
18	28.57.024	Connecting cable pressure switch/motor plate	Dynacode	1
19	28.57.026	Connecting cable encoder/motor plate, right	Dynacode	1
20*	28.57.032	Printhead adapter	Dynacode	1
21*	28.57.033	Printhead cable, power supply	Dynacode	1
22	28.57.041	Connecting cable Dual-Reflection encoder	right, Dynacode	1
23	31.03.035	Photocell		1
24	31.57.005	Cooling element	Dynacode	1
25*	37.04.1280	Thermal printhead 128-12	Dynacode/Dynacode II	1
26	37.57.005	Silicon foil self-adhesive	in meters	0,01m

*Recommended spare part

71.57.800

Print mechanism Dynacode 128-12, right

Pos	Ident-No.	Description1	Description2	Quantity
27	37.57.201	SEAL RING		1
28	37.57.205	SEAL RING		2
29	37.57.400	Adhesive tape 6 mm		0,01
30*	37.67.001	Short-stroke cylinder	DPM III/Dynacode/Flexicode/DPM IV	2
31*	37.67.002	Switch	DPM III/Dynacode/Flexicode	1
32*	37.67.025	Pneumatic tube 4 mm	DPM III/Dynacode/APX, in meters	0,42m
33*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	0,04m
34	37.67.060	Screw joint connector inner thread 8 mm	DPM III/Dynacode	1
35*	37.67.075	Seal ring	DPM III/Dynacode/Flexicode	2
36	40.01.005V	Shaft protection 5 mm stainless		1
37	41.03.003V	Lock washer M3 stainless		9
38	41.03.004V	Lock washer M4 stainless		25
39	42.13.208V	Grooved pin 2 x 8 mm		2
40	42.13.410V	TAPER PIN 4x10 S2 DIN 1472		2
41	42.13.414V	Grooved pin 4 x 14 mm		4
42	42.14.210V	Pin 2 x 10 mm		1
43	43.06.316	Pin 3 x 16 mm		1
44	45.57.003	Carrier plate		1
45	45.57.010	Cassette plate	Dynacode	1
46	45.57.030	Strut	Dynacode	2
47	45.57.035	Handle	Dynacode	1
48	45.57.041	Carrier plate for coupling	Dynacode	1
49	45.57.042	Bearing for clutch	Dynacode	2
50	45.57.057	Closing lever	Dynacode	1
51	45.57.060	Clamping piece	Dynacode	1
52	45.57.075	Hose clamp	Dynacode	1

*Recommended spare part

71.57.800

Print mechanism Dynacode 128-12, right

Pos	Ident-No.	Description1	Description2	Quantity
53	45.57.085	BRACKET		1
54	45.57.090	Bracket for cover	Dynacode	1
55	45.57.252	Cable clip outside, for power cable	Dynacode 107/Dynacode 128	1
56	45.57.257	Cable clip inside, for powre cable	Dynacode 107/Dynacode 128	1
57	45.57.265	GUIDING PLATE		1
58	45.57.280	Cover	Dynacode 107/Dynacode 128, right	1
59	45.57.305	Cover plate	Dynacode 128	1
60	45.57.310	Sole plate, right	Dynacode 128, right	1
61	45.57.320	Guiding carriage, right	Dynacode 128, right	1
62	45.57.345	ADJUSTING PART		1
63	46.57.001	Cross bar	Dynacode	1
64	46.57.300	Centering ledge	Dynacode 128	3
65	46.57.305	Centering bearing	Dynacode 128	3
66	46.57.315	Bearing pillar	Dynacode 128	1
67	46.57.320	Ribbon rewinding/unwinding pillar	Dynacode 128	2
68	46.57.330	Printhead shaft	Dynacode 128	1
69	46.57.340	Guiding pillar	Dynacode 128	1
70	47.05.001V	Hexagon nut M4 stainless		3
71	47.57.001	Nut M2	Dynacode	4
72	48.10.004V	Setscrew M3x4 stainless		2
73	48.10.005V	Setscrew M4x4 stainless		3
74	48.10.406V	Setscrew M4x6 stainless		1
75	48.10.408V	Setscrew M4x8 stainless		4
76	48.10.505V	Setscrew M5x5 stainless		4
77	48.14.105V	Pan screw M2x5 stainless		14
78	48.14.110V	Pan screw M2x10 stainless		6

*Recommended spare part

71.57.800

Print mechanism Dynacode 128-12, right

Pos	Ident-No.	Description1	Description2	Quantity
79	48.14.306V	Pan screw M3x6 stainless		3
80	48.15.002V	Pan screw M4x10 stainless		1
81	48.15.003V	Countersunk screw M3x6 stainless		11
82	48.15.210V	Pan screw M2.5x10 stainless		1
83	48.15.304V	Countersunk screw M3x4 stainless		2
84	48.15.308V	Countersunk screw M3x8 stainless		4
85	48.15.312V	Countersunk screw M3x12 stainless		1
86	48.16.006V	Socket cap screw M5x12		21
87	48.16.306V	Socket cap screw M3x6 stainless		21
88	48.16.312V	Socket cap screw M3x12 stainless		17
89	48.16.316V	Socket cap screw M3x16 stainless		6
90	48.16.410V	Socket cap screw M4x10 stainless		16
91	48.16.412V	Socket cap screw M4x12 stainless		12
92	48.16.416V	Socket cap screw M4x16 stainless		4
93	48.16.430V	Socket cap screw M4x30 stainless		1
94	48.16.460V	Socket cap screw M4x60 stainless		4
95	48.18.010	Spring pressure piece		2
96	48.19.306V	Socket cap screw M3x6 stainless		2
97	48.19.410V	Socket cap screw M4x10 stainless		2
98	48.19.612V	Socket cap screw M6x12 stainless		3
99	48.20.408V	Socket cap screw M4x8 stainless		5
100	48.57.001	Screw	Dynacode	1
101	48.57.005	Screw	Dynacode/LPM II	2
102	50.01.057V	Washer 3.2 stainless		2
103	50.01.065V	Lock washer 4.3 stainless		7
104*	52.57.002	Spring, right	Dynacode	1

*Recommended spare part

71.57.800

Print mechanism Dynacode 128-12, right

Pos	Ident-No.	Description1	Description2	Quantity
105*	52.57.006	Spring, left	Dynacode	1
106*	52.57.017	Tension spring	Dynacode	1
107*	52.57.020	Tension spring	Dynacode/Flexicode	2
108	52.57.025	Compression spring	Dynacode	4
109	52.57.110	Spring sheet	Dynacode 107/Dynacode 128	8
110*	57.01.008	Grooved ball bearing		1
111	57.02.001	Bearing bush 06x08x06		1
112	57.02.210	Sintered bronze flanged bushing		1
113*	57.57.075	Slide mounting	Dynacode 107/Dynacode 128	2
114	59.57.005	Toothed belt wheel	Dynacode/Flexicode	1
115	59.57.015	Toothed belt wheel	Dynacode	1
116	59.57.020	Toothed belt wheel	Dynacode	1
117*	59.57.218	Toothed belt	Dynacode	1
118*	59.57.339	Toothed belt	Dynacode	1
119	67.57.005	Cover, behind	Dynacode	1
120	67.57.015	Connecting plate	Dynacode	1
121	67.57.030	INTERMEDIATE PLATE		1
122*	67.57.035	Keeper	Dynacode	1
123	67.57.045	Supporting plate	Dynacode	1
124	67.57.050	Sole plate for clutch	Dynacode	1
125	67.57.060	Washer	Dynacode	1
126	67.57.300	COVER PLATE		1
127	67.57.310	Cover on the side, right		1
128	67.57.315	Cover on the side, left		1
129*	70.57.015	Motor board	Dynacode	1
130	70.57.022	Circuit board	Dynacode	1

*Recommended spare part

71.57.800


Print mechanism Dynacode 128-12, right

Pos	Ident-No.	Description1	Description2	Quantity
131	71.57.010	Clutch cpl	Dynacode	1
132	71.57.011	Serial stepper motor cpl	Dynacode	1
133	71.57.012	Parallel stepper motor cpl	Dynacode	1
134	71.57.013	Stepper motor ribbon rewinder	Dynacode	1
135*	71.57.020	Valve cpl	Dynacode	1
136	71.57.021	Cassette switch cpl	Dynacode 107/Dynacode 128	1
137*	71.57.023	Final position switch cpl	Dynacode	2
138	71.57.025	LED cpl	Dynacode	1
139	71.57.040	Photocell dual transmission encoder	Dynacode	2
140	72.57.001	Toothed belt wheel cpl	Dynacode/Flexicode	1
141*	72.57.025A	Centering bushing cpl	Dynacode	2
142*	72.57.300	Bogie wheel	Dynacode 128	1
143*	72.57.310	Return pulley	Dynacode 128	3
144	72.57.325	Ribbon rewinding/unwinding roller cpl	Dynacode 128	2
145	72.57.330	Printhead bracket cpl	Dynacode 128	1
146	72.57.335	Interlayer cpl, right	Dynacode 128, right	1
147	72.57.340	Pressure bracket cpl, right	Dynacode 128, right	1
148	72.57.345	Guiding roller cpl	Dynacode 128	1

*Recommended spare part


71.57.850

PRINT MECHANISM DYNACODE 128-12, LEFT




71.57.850

PRINT MECHANISM DYNACODE 128-12, LEFT



71.57.850

PRINT MECHANISM DYNACODE 128-12, LEFT



71.57.850

Print mechanism Dynacode 128-12, left

Pos	Ident-No.	Description1	Description2	Quantity
1	10.57.001	Bushing for centering bearing	Dynacode	3
2*	10.57.005	Spocket wheel	Dynacode	1
3	10.57.010	Clamping piece	Dynacode	1
4	10.57.017	Bushing for motor, large	Dynacode	1
5	10.57.023	Bushing for coupling	Dynacode	1
6	10.57.030	Bush bearing	Dynacode	1
7	10.57.201	SCREW-IN CONNECTION		1
8	10.57.301	SCREW-IN CONNECTION		1
9	12.40.480	DISTANCE BOLT M4 X 80		2
10	12.57.001	PIN		1
11	12.57.015	Spring pillar	Dynacode/Flexicode	4
12	12.57.020	Switching pin	Dynacode	1
13	16.57.001	Window	Dynacode	1
14	16.57.020	Limit stop	Dynacode, left	1
15*	18.01.011	RING 5x1		2
16*	18.57.025	Brake conus	Dynacode	2
17	27.03.010	LED holder 5 mm		2
18	28.57.024	Connecting cable pressure switch/motor plate	Dynacode	1
19	28.57.025	Connecting cable encoder/motor plate, left	Dynacode	1
20*	28.57.032	Printhead adapter	Dynacode	1
21*	28.57.033	Printhead cable, power supply	Dynacode	1
22	28.57.040	Connecting cable Dual-Reflection encoder	left, Dynacode	1
23	31.03.035	Photocell		1
24	31.57.005	Cooling element	Dynacode	1
25*	37.04.1280	Thermal printhead 128-12	Dynacode/Dynacode II	1
26	37.57.005	Silicon foil self-adhesive	in meters	0,01m

*Recommended spare part

71.57.850

Print mechanism Dynacode 128-12, left

Pos	Ident-No.	Description1	Description2	Quantity
27	37.57.201	SEAL RING		1
28	37.57.205	SEAL RING		2
29	37.57.400	Adhesive tape 6 mm		0,01
30*	37.67.001	Short-stroke cylinder	DPM III/Dynacode/Flexicode/DPM IV	2
31*	37.67.002	Switch	DPM III/Dynacode/Flexicode	1
32*	37.67.025	Pneumatic tube 4 mm	DPM III/Dynacode/APX, in meters	0,38m
33*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	0,04m
34	37.67.060	Screw joint connector inner thread 8 mm	DPM III/Dynacode	1
35*	37.67.075	Seal ring	DPM III/Dynacode/Flexicode	2
36	40.01.005V	Shaft protection 5 mm stainless		1
37	41.03.003V	Lock washer M3 stainless		10
38	41.03.004V	Lock washer M4 stainless		25
39	42.13.208V	Grooved pin 2 x 8 mm		2
40	42.13.410V	TAPER PIN 4x10 S2 DIN 1472		2
41	42.13.414V	Grooved pin 4 x 14 mm		4
42	42.14.210V	Pin 2 x 10 mm		1
43	43.06.316	Pin 3 x 16 mm		1
44	45.57.007	Carrier plate		1
45	45.57.010	Cassette plate	Dynacode	1
46	45.57.030	Strut	Dynacode	2
47	45.57.035	Handle	Dynacode	1
48	45.57.041	Carrier plate for coupling	Dynacode	1
49	45.57.042	Bearing for clutch	Dynacode	2
50	45.57.057	Closing lever	Dynacode	1
51	45.57.060	Clamping piece	Dynacode	1
52	45.57.075	Hose clamp	Dynacode	1

*Recommended spare part

71.57.850

Print mechanism Dynacode 128-12, left

Pos	Ident-No.	Description1	Description2	Quantity
53	45.57.085	BRACKET		1
54	45.57.090	Bracket for cover	Dynacode	1
55	45.57.250	Cable clip outside, for signal cable	Dynacode 107/Dynacode 128, left	1
56	45.57.252	Cable clip outside, for power cable	Dynacode 107/Dynacode 128	1
57	45.57.255	Cable clip inside, for signal cable	Dynacode 107/Dynacode 128, left	1
58	45.57.257	Cable clip inside, for power cable	Dynacode 107/Dynacode 128	1
59	45.57.270	Guiding plate, left	Dynacode 107/Dynacode 128, left	1
60	45.57.282	Cover	Dynacode 107/Dynacode 128, left	1
61	45.57.305	Cover plate	Dynacode 128	1
62	45.57.315	Sole plate		1
63	45.57.325	GUIDING CARRIAGE		1
64	45.57.345	ADJUSTING PART		1
65	46.57.001	Cross bar	Dynacode	1
66	46.57.300	Centering ledge	Dynacode 128	3
67	46.57.305	Centering bearing	Dynacode 128	3
68	46.57.315	Bearing pillar	Dynacode 128	1
69	46.57.320	Ribbon rewinding/unwinding pillar	Dynacode 128	2
70	46.57.330	Printhead shaft	Dynacode 128	1
71	46.57.340	Guiding pillar	Dynacode 128	1
72	47.05.001V	Hexagon nut M4 stainless		3
73	47.57.001	Nut M2	Dynacode	4
74	48.10.004V	Setscrew M3x4 stainless		2
75	48.10.005V	Setscrew M4x4 stainless		3
76	48.10.406V	Setscrew M4x6 stainless		1
77	48.10.408V	Setscrew M4x8 stainless		4
78	48.10.505V	Setscrew M5x5 stainless		4

*Recommended spare part

71.57.850

Print mechanism Dynacode 128-12, left

Pos	Ident-No.	Description1	Description2	Quantity
79	48.14.105V	Pan screw M2x5 stainless		14
80	48.14.110V	Pan screw M2x10 stainless		6
81	48.14.306V	Pan screw M3x6 stainless		3
82	48.15.002V	Pan screw M4x10 stainless		1
83	48.15.003V	Countersunk screw M3x6 stainless		11
84	48.15.210V	Pan screw M2.5x10 stainless		1
85	48.15.304V	Countersunk screw M3x4 stainless		2
86	48.15.308V	Countersunk screw M3x8 stainless		5
87	48.15.312V	Countersunk screw M3x12 stainless		1
88	48.16.006V	Socket cap screw M5x12		21
89	48.16.306V	Socket cap screw M3x6 stainless		21
90	48.16.312V	Socket cap screw M3x12 stainless		17
91	48.16.316V	Socket cap screw M3x16 stainless		6
92	48.16.410V	Socket cap screw M4x10 stainless		16
93	48.16.412V	Socket cap screw M4x12 stainless		12
94	48.16.416V	Socket cap screw M4x16 stainless		4
95	48.16.430V	Socket cap screw M4x30 stainless		1
96	48.16.460V	Socket cap screw M4x60 stainless		4
97	48.18.010	Spring pressure piece		2
98	48.19.306V	Socket cap screw M3x6 stainless		2
99	48.19.410V	Socket cap screw M4x10 stainless		2
100	48.19.612V	Socket cap screw M6x12 stainless		3
101	48.20.408V	Socket cap screw M4x8 stainless		5
102	48.57.001	Screw	Dynacode	1
103	48.57.005	Screw	Dynacode/LPM II	2
104	50.01.057V	Washer 3.2 stainless		2

*Recommended spare part

71.57.850

Print mechanism Dynacode 128-12, left

Pos	Ident-No.	Description1	Description2	Quantity
105	50.01.065V	Lock washer 4.3 stainless		7
106*	52.57.002	Spring, right	Dynacode	1
107*	52.57.006	Spring, left	Dynacode	1
108*	52.57.017	Tension spring	Dynacode	1
109*	52.57.020	Tension spring	Dynacode/Flexicode	2
110	52.57.025	Compression spring	Dynacode	4
111	52.57.110	Spring sheet	Dynacode 107/Dynacode 128	8
112*	57.01.008	Grooved ball bearing		1
113	57.02.001	Bearing bush 06x08x06		1
114	57.02.210	Sintered bronze flanged bushing		1
115*	57.57.075	Slide mounting	Dynacode 107/Dynacode 128	2
116	59.57.005	Toothed belt wheel	Dynacode/Flexicode	1
117	59.57.015	Toothed belt wheel	Dynacode	1
118	59.57.020	Toothed belt wheel	Dynacode	1
119*	59.57.218	Toothed belt	Dynacode	1
120*	59.57.339	Toothed belt	Dynacode	1
121	67.57.005	Cover, behind	Dynacode	1
122	67.57.015	Connecting plate	Dynacode	1
123	67.57.030	INTERMEDIATE PLATE		1
124*	67.57.035	Keeper	Dynacode	1
125	67.57.045	Supporting plate	Dynacode	1
126	67.57.050	Sole plate for clutch	Dynacode	1
127	67.57.060	Washer	Dynacode	1
128	67.57.305	COVER PLATE		1
129	67.57.310	Cover on the side, right		1
130	67.57.315	Cover on the side, left		1

*Recommended spare part

71.57.850


Print mechanism Dynacode 128-12, left

Pos	Ident-No.	Description1	Description2	Quantity
131*	70.57.015	Motor board	Dynacode	1
132	70.57.022	Circuit board	Dynacode	1
133	71.57.010	Clutch cpl	Dynacode	1
134	71.57.011	Serial stepper motor cpl	Dynacode	1
135	71.57.012	Parallel stepper motor cpl	Dynacode	1
136	71.57.013	Stepper motor ribbon rewiner	Dynacode	1
137*	71.57.020	Valve cpl	Dynacode	1
138	71.57.021	Cassette switch cpl	Dynacode 107/Dynacode 128	1
139*	71.57.023	Final position switch cpl	Dynacode	2
140	71.57.025	LED cpl	Dynacode	1
141	71.57.040	Photocell dual transmission encoder	Dynacode	2
142	72.57.001	Toothed belt wheel cpl	Dynacode/Flexicode	1
143*	72.57.025A	Centering bushing cpl	Dynacode	2
144*	72.57.300	Bogie wheel	Dynacode 128	1
145*	72.57.310	Return pulley	Dynacode 128	3
146	72.57.325	Ribbon rewinding/unwinding roller cpl	Dynacode 128	2
147	72.57.330	Printhead bracket cpl	Dynacode 128	1
148	72.57.337	Interlayer cpl, left	Dynacode 128, left	1
149	72.57.342	Pressure bracket cpl, left	Dynacode 128, left	1
150	72.57.345	Guiding roller cpl	Dynacode 128	1

*Recommended spare part

71.57.900

CONTROL UNIT DYNACODE, DESKTOP ENCLOSURE WITH CF CARD SLOT, I/O



71.57.900

Control unit Dynacode, desktop enclosure
with CF card slot, I/O

Pos	Ident-No.	Description1	Description2	Quantity
1	10.41.013	Plastic spacer roller 6x3,2x3 mm		3
2	12.40.325	DISTANCE BOLT M3 X 25		2
3*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
4	16.57.090	Cover for memory card slot	Dynacode	1
5	23.01.040	Filter		1
6*	24.02.009	Fine-wire fuse 4.0 A 5x20		2
7	25.04.100	SUB-D fixing set		2
8	26.01.030	Power switch	DPM III "GEA"/FLEXICODE	1
9*	26.57.005	Foil keyboard	Dynacode	1
10	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	2
11	28.30.089	Grounded conductor 1	Spectra/DPM/SPE/Dynacode/SPX/Vita/Flexicode	1
12	28.30.090	Protective conductor 2	Dynacode/SPX/Vita/Duoprint/Pica II	1
13	28.30.091	GROUNDED CONDUCTOR		1
14	28.57.005	POWER LINE		1
15	28.57.006	Connecting cable, voltage power supply/CPU	Dynacode	2
16	28.57.010	Connecting cable, data signals back panel/CPU	Dynacode	1
17	28.57.011	Connecting cable, voltage back panel/power supply	Dynacode	1
18	28.57.012	Connecting cable, encoder back panel/CPU	Dynacode	1
19	28.57.014	Connecting cable, protective conductor/GND	Dynacode/Flexicode	1
20	28.57.015	Connecting cable, I/O plate/CPU	Dynacode	1
21	28.57.016	Connecting cable, CF/CPU	Vario II/Dynacode/DPM III xi/SPE "GEA"	1
22	35.01.065	Sealing plug		1
23*	37.57.001	Power supply	Dynacode/SPX	1
24	41.02.002V	Fan shaped washer M4 stainless		4
25	45.57.093	Bracket for MC slot	Dynacode	1
26	45.57.095	Front panel control unit	Dynacode	1

*Recommended spare part

71.57.900

Control unit Dynacode, desktop enclosure
with CF card slot, I/O

Pos	Ident-No.	Description1	Description2	Quantity
27	45.57.097	Strut for control unit blue	Dynacode	2
28	47.05.001V	Hexagon nut M4 stainless		1
29	48.14.208V	Pan screw M2.5x8 stainless		3
30	48.14.306V	Pan screw M3x6 stainless		25
31	48.15.408V	Pan screw M4x8 stainless		4
32	48.16.306V	Socket cap screw M3x6 stainless		7
33	48.16.310V	Socket cap screw M3x10 stainless		6
34	48.16.408V	Socket cap screw M4x8 stainless		1
35	48.18.015	Spring pressure piece		2
36	48.57.090	Screw	Dynacode	2
37	50.01.046V	Lock washer M4 stainless		1
38	50.01.057V	Washer 3.2 stainless		31
39	50.01.065V	Lock washer 4.3 stainless		4
40	50.01.069V	Lock washer M2.7 stainless		3
41	67.55.120	Interface cover	Vario II/Pica/Spectra/SPE/SPX/Vita	1
42	67.57.085	BACK PANEL FOR CONTROL UNIT	DYNACODE	1
43	67.57.090	Bottom turret control unit	Dynacode	1
44	67.57.095	Cover control unit	Dynacode	1
45	70.40.205	CF interface cpl rev. C	Dynacode/DPM III xi IP65	1
46*	70.57.002	CPU	Dynacode	1
47*	70.57.011	Dispensing I/O 24 V	Dynacode	1
48*	71.57.008	LCD display 16x2 cpl	Dynacode	1

*Recommended spare part

72.57.990

Connecting parts pneumatic/electronics

Dynacode

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2	28.57.0013	Connecting cable, data signals 37-pin 2.5 m		1
3	28.67.0013	Connecting cable printhead/motors 25-pin 2.5 m		1
4	37.67.015	Miniature controller	DPM III/DPM IV/Dynacode/Flexicode	1
5	37.67.020	Manometer	DPM III/DPM IV/Dynacode/Flexicode	1
6*	37.67.026	Pneumatic tube 8 mm	DPM III/Dynacode/Flexicode, in meters	1,00m
7	37.67.035	Screw joint connector 8 mm	DPM III/DPM IV/Dynacode/Flexicode/APL/APX	2

*Recommended spare part


Modifications and errors excepted

Dynacode: 10.2024

59 / 79


72.57.995

MOUNTING FRAME CONTINUOUS
DYNACODE



72.57.995

**MOUNTING FRAME CONTINUOUS
DYNACODE**



72.57.995

Mounting frame continous

Dynacode

Pos	Ident-No.	Description1	Description2	Quantity
1	18.67.014	Pressure roller cpl 340 mm	Dynacode/Flexicode	1
	18.67.015	Pressure roller cpl 250 mm	Dynacode/Flexicode	1
	18.67.017	Pressure roller cpl 430 mm	Dynacode/Flexicode	1
	18.67.018	Pressure roller cpl 620 mm	Dynacode/Flexicode	1
	18.67.019	Pressure roller cpl 470 mm	Dynacode/Flexicode	1
	18.67.020	Pressure roller cpl 770 mm	Dynacode/Flexicode	1
2	41.03.006V	Lock washer M6 stainless		12
3	45.67.155	Main plate left for installation frame		1
4	45.67.157	Main plate right for installation frame		1
5	45.67.560	Carrier for mounting frame	DPM III c/Dynacode	2
6	45.67.580	Clamping piece above, for mounting frame	Dynacode/Flexicode	1
7	45.67.585	Bearing for pressure roller mounting frame	Dynacode/Flexicode	1
8	45.67.590	Clamping piece below, for mounting frame	Dynacode/Flexicode	1
9	46.57.400	Bolt	Dynacode	4
10	46.67.153	Bogie wheel 340 mm for mounting frame	DPM III c/Dynacode	2
	46.67.155	Bogie wheel 250 mm for mounting frame	DPM III c/Dynacode	2
	46.67.156	Bogie wheel 430 mm for mounting frame	DPM III c/Dynacode	2
	46.67.157	Bogie wheel 620 mm for mounting frame	DPM III c/Dynacode	2
	46.67.158	Bogie wheel 470 mm for mounting frame	DPM III c/Dynacode	2
	46.67.159	Bogie wheel 770 mm for mounting frame	DPM III c/Dynacode	2
11	46.67.163	Guide shaft 340 mm for mounting frame	DPM III c/Dynacode	2
	46.67.165	Guide shaft 250 mm for mounting frame	DPM III c/Dynacode	2
	46.67.166	Guide shaft 430 mm for mounting frame	DPM III c/Dynacode	2
	46.67.167	Guide shaft 620 mm for mounting frame	DPM III c/Dynacode	2
	46.67.168	Guide shaft 470 mm for mounting frame	DPM III c/Dynacode	2
	46.67.169	Guide shaft 770 mm for mounting frame	DPM III c/Dynacode	2

*Recommended spare part

72.57.995

Mounting frame continous


Dynacode

Pos	Ident-No.	Description1	Description2	Quantity
12	46.67.170	Guide shaft, above 250 mm for mounting frame	DPM III c/Dynacode	4
	46.67.171	Guide shaft, above 430 mm for mounting frame	DPM III c/Dynacode	4
	46.67.172	Guide shaft, above 620 mm for mounting frame	DPM III c/Dynacode	4
	46.67.173	Guide shaft, above 470 mm for mounting frame	DPM III c/Dynacode	4
	46.67.174	Guide shaft, above 770 mm for mounting frame	DPM III c/Dynacode	4
	46.67.191	Guide shaft, above 340 mm for mounting frame	DPM III c/Dynacode	4
13	47.05.001V	Hexagon nut M4 stainless		2
14	47.09.001V	Hexagon nut M10 stainless		8
15	48.16.016	Socket cap screw M4x25		2
16	48.16.408V	Socket cap screw M4x8 stainless		2
17	48.16.440V	Socket cap screw M4x40 stainless		4
18	48.16.620V	Socket cap screw M6x20 stainless		12
19	48.16.625V	Socket cap screw M6x25 stainless		4
20	48.16.930V	Socket cap screw M10x30 stainless		4
21	48.17.030	Clamping lever		1
22	48.70.001	Handle		1
23	50.01.001	Lock washer 10x6.1x0.5 stainless		4
24	50.01.011	Washer 10x16x1.0		4
25	50.01.065V	Lock washer 4.3 stainless		6
26*	57.01.025	Grooved ball bearing		2
27*	57.01.027	Grooved ball bearing		4
28	72.67.505	Connection part cpl for mounting frame	Dynacode/Flexicode	1
29	72.67.585	Bearing cpl for pressure roller	Dynacode/Flexicode	1
30	72.67.590	Clamping piece above for mounting frame	Dynacode/Flexicode	1

*Recommended spare part

72.57.998

MOUNTING FRAME INTERMITTENT
DYNACODE



Pos. 18, 23 werden beigelegt.
Pos. 18, 23 are enclosed.
Pos. 18, 23 sont jointes.
Pos. 18, 23 son adjuntados.

72.57.998

Mounting frame intermittent

Dynacode

Pos	Ident-No.	Description1	Description2	Quantity
1	41.03.006V	Lock washer M6 stainless		12
2	45.57.401	Main plate, right, for mounting frame	Dynacode, with counter-pressure plate	1
3	45.57.405	Main plate, left, for mounting frame	Dynacode, with counter-pressure plate	1
4	45.67.301	Clamping piece for counter-pressure plate	DPM III/DPM IV/Dynacode	1
5	45.67.560	Carrier for mounting frame	DPM III c/Dynacode	2
6	45.67.580	Clamping piece above, for mounting frame	Dynacode/Flexicode	1
7	45.67.590	Clamping piece below, for mounting frame	Dynacode/Flexicode	1
8	46.57.400	Bolt	Dynacode	4
9	46.57.410	Guide shaft, passage width 250 mm, Dynacode	for mounting frame with counter-pressure plate	2
	46.57.411	Guide shaft, passage width 340 mm, Dynacode	for mounting frame with counter-pressure plate	2
	46.57.412	Guide shaft, passage width 430 mm, Dynacode	for mounting frame with counter-pressure plate	2
	46.57.414	Guide shaft, passage width 470 mm, Dynacode	for mounting frame with counter-pressure plate	2
	46.57.416	Guide shaft, passage width 620 mm, Dynacode	for mounting frame with counter-pressure plate	2
	46.57.418	Guide shaft, passage width 770 mm, Dynacode	for mounting frame with counter-pressure plate	2
10	46.67.153	Bogie wheel 340 mm for mounting frame	DPM III c/Dynacode	2
	46.67.155	Bogie wheel 250 mm for mounting frame	DPM III c/Dynacode	2
	46.67.156	Bogie wheel 430 mm for mounting frame	DPM III c/Dynacode	2
	46.67.157	Bogie wheel 620 mm for mounting frame	DPM III c/Dynacode	2
	46.67.158	Bogie wheel 470 mm for mounting frame	DPM III c/Dynacode	2
	46.67.159	Bogie wheel 770 mm for mounting frame	DPM III c/Dynacode	2
11	46.67.163	Guide shaft 340 mm for mounting frame	DPM III c/Dynacode	2
	46.67.165	Guide shaft 250 mm for mounting frame	DPM III c/Dynacode	2
	46.67.166	Guide shaft 430 mm for mounting frame	DPM III c/Dynacode	2
	46.67.167	Guide shaft 620 mm for mounting frame	DPM III c/Dynacode	2
	46.67.168	Guide shaft 470 mm for mounting frame	DPM III c/Dynacode	2
	46.67.169	Guide shaft 770 mm for mounting frame	DPM III c/Dynacode	2

*Recommended spare part

72.57.998


Mounting frame intermittent

Dynacode

Pos	Ident-No.	Description1	Description2	Quantity
12	46.67.170	Guide shaft, above 250 mm for mounting frame	DPM III c/Dynacode	4
	46.67.171	Guide shaft, above 430 mm for mounting frame	DPM III c/Dynacode	4
	46.67.172	Guide shaft, above 620 mm for mounting frame	DPM III c/Dynacode	4
	46.67.173	Guide shaft, above 470 mm for mounting frame	DPM III c/Dynacode	4
	46.67.174	Guide shaft, above 770 mm for mounting frame	DPM III c/Dynacode	4
	46.67.191	Guide shaft, above 340 mm for mounting frame	DPM III c/Dynacode	4
13	47.05.001V	Hexagon nut M4 stainless		2
14	47.09.001V	Hexagon nut M10 stainless		8
15	48.16.016	Socket cap screw M4x25		2
16	48.16.420V	Socket cap screw M4x20 stainless		10
17	48.16.620V	Socket cap screw M6x20 stainless		16
18	48.16.625V	Socket cap screw M6x25 stainless		4
19	48.16.930V	Socket cap screw M10x30 stainless		4
20	48.17.020	Clamping lever		1
21	48.17.030	Clamping lever		1
22	48.70.001	Handle		1
23	50.01.001	Lock washer 10x6.1x0.5 stainless		4
24	50.01.011	Washer 10x16x1.0		4
25*	57.01.027	Grooved ball bearing		4
26	72.67.100	Bearing block cpl for counter-pressure plate	DPM III/DPM IV/Dynacode	4
27	72.67.305	Counter-pressure plate cpl 107x140 mm	DPM/Dynacode	1
28	72.67.505	Connection part cpl for mounting frame	Dynacode/Flexicode	1
29	72.67.590	Clamping piece above for mounting frame	Dynacode/Flexicode	1

*Recommended spare part

72.67.996
REPEAT SETTING
DPM III C



Pos. 11 48.16.614V wird beigelegt.
Pos. 11 48.16.614V is enclosed.
Pos. 11 48.16.614V est jointes.

72.67.996

Repeat setting

DPM III c

Pos	Ident-No.	Description1	Description2	Quantity
1	45.67.600	Base part left for repeat setting	DPM III	1
2	45.67.605	Base part right for repeat setting	DPM III	1
3	45.67.610	Cover for repeat setting	DPM III	2
4	45.67.615	Bearing	DPM III/Spectra	2
5	46.67.155	Bogie wheel 250 mm for mounting frame	DPM III c/Dynacode	2
	46.67.156	Bogie wheel 430 mm for mounting frame	DPM III c/Dynacode	2
	46.67.157	Bogie wheel 620 mm for mounting frame	DPM III c/Dynacode	2
	46.67.158	Bogie wheel 470 mm for mounting frame	DPM III c/Dynacode	2
	46.67.159	Bogie wheel 770 mm for mounting frame	DPM III c/Dynacode	2
6	46.67.165	Guide shaft 250 mm for mounting frame	DPM III c/Dynacode	2
	46.67.166	Guide shaft 430 mm for mounting frame	DPM III c/Dynacode	2
	46.67.167	Guide shaft 620 mm for mounting frame	DPM III c/Dynacode	2
	46.67.168	Guide shaft 470 mm for mounting frame	DPM III c/Dynacode	2
	46.67.169	Guide shaft 770 mm for mounting frame	DPM III c/Dynacode	2
7	46.67.610	Guide shaft repeat setting 250 mm	DPM III	1
	46.67.611	Guide shaft repeat setting 430 mm	DPM III	1
	46.67.612	Guide shaft repeat setting 620 mm	DPM III	1
	46.67.613	Guide shaft repeat setting 470 mm	DPM III	1
	46.67.614	Guide shaft repeat setting 770 mm	DPM III	1
8	48.10.408V	Setscrew M4x8 stainless		4
9	48.16.410V	Socket cap screw M4x10 stainless		2
10	48.16.420V	Socket cap screw M4x20 stainless		4
11	48.16.614V	Socket cap screw M6x14 stainless		4
12	48.16.620V	Socket cap screw M6x20 stainless		4
13	48.16.630V	Socket cap screw M6x30 stainless		4
14	48.17.012	Clamping lever		2

*Recommended spare part

72.67.996

Repeat setting

DPM III c

Pos	Ident-No.	Description1	Description2	Quantity
15	50.01.011	Washer 10x16x1.0		4
16	50.01.029	Lock washer 10x4.1x0.5 stainless		2
17*	57.01.027	Grooved ball bearing		4
18	57.02.030	Washer		2
19	59.67.600	Cogged bar for repeat setting	DPM III c	2
20	59.67.605	Gear wheel for repeat setting		2

*Recommended spare part


Modifications and errors excepted

Dynacode: 10.2024

69 / 79

90.67.704

ENCODER WITH FRICTION WHEEL CPL 4.5 M
DPM III C/DYNACODE/FLEXICODE, OPTION




Pos. 11 wird beigelegt.

rechte Ausführung

90.67.704

ENCODER WITH FRICTION WHEEL CPL 4.5 M

DPM III C/DYNACODE/FLEXICODE, OPTION



linke Ausführung

Pos. 10 wird beigelegt.

90.67.704

Encoder with friction wheel cpl 4.5 m

DPM III c/Dynacode/Flexicode, option

Pos	Ident-No.	Description1	Description2	Quantity
1	37.67.510	Adjusting ring		2
2	41.03.006V	Lock washer M6 stainless		1
3	45.67.558	Holder for encoder		1
4	46.67.550	Holding shaft for encoder		1
5	48.11.404V	Setscrew M4x4 stainless		2
6	48.15.310V	Countersunk screw M3x10 stainless		4
7	48.16.420V	Socket cap screw M4x20 stainless		2
8	48.16.614V	Socket cap screw M6x14 stainless		1
9	50.01.010	Washer 10x16x0.5		1
10	52.67.505	Spring for encoder		1
11	52.67.515	Spring for encoder		1
12	71.67.041	Encoder incremental cpl 4.5 m	c-type	1
13	72.67.550	Friction gear cpl		1
14	72.67.580	Bearing cpl for encoder, with friction gear		1

*Recommended spare part


Modifications and errors excepted

Dynacode: 10.2024

72 / 79

90.67.705

ENCODER FOR CV MOUNTING FRAME 2.5 M
DPM III C/DYNACODE/FLEXICODE, OPTION



90.67.705

Encoder for CV mounting frame 2.5 m

DPM III c/Dynacode/Flexicode, option

Pos	Ident-No.	Description1	Description2	Quantity
1	45.67.570	Bearing for encoder	Dynacode/Flexicode	1
2	48.11.404V	Setscrew M4x4 stainless		2
3	48.15.003V	Countersunk screw M3x6 stainless		4
4	48.16.004V	Socket cap screw M4x25		2
5	50.50.605	Washer 6x12x0.5		1
6*	59.04.092	Toothed belt		1
7	59.67.040	Toothed belt wheel		1
8	71.67.040	Encoder incremental cpl 2.5 m	c-type	1

*Recommended spare part

Modifications and errors excepted


Dynacode: 10.2024

74 / 79

90.57.952

CABLE OUTLET AT THE BACK

DYNACODE, RETROFIT KIT/SPARE PARTS PRICE



90.57.952

Cable outlet at the back

Dynacode, retrofit kit/spare parts price

Pos	Ident-No.	Description1	Description2	Quantity
1	12.57.003	Distance bolt M4x34.8	Dynacode, cable outlet behind	2
2	25.04.060	SUB-D dust protection cap 25-pin		1
3	25.04.065	SUB-D dust protection cap 37 pin		1
4	25.04.100	SUB-D fixing set		2
5	28.57.050	Connecting cable, data signals cover/motor plate	Dynacode, cable outlet to the back	1
6	28.57.051	Connecting cable power supply cover/motor plate	Dynacode, cable outlet to the back	1
7	37.67.092	Connection 8 mm		1
8	41.03.003V	Lock washer M3 stainless		1
9	48.14.306V	Pan screw M3x6 stainless		1
10	48.16.410V	Socket cap screw M4x10 stainless		2
11	50.01.065V	Lock washer 4.3 stainless		2
12	67.57.008	Cover, behind for cable outgoing behind	Dynacode	1
13	67.57.020	Connecting plate IP65 for cable outgoing behind	Dynacode	1


*Recommended spare part

Modifications and errors excepted

Dynacode: 10.2024

76 / 79

90.57.990
TOUCH PANEL 8.4"
OPTION



90.57.990

Touch panel 8.4"

Option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.40.208	DISTANCE BOLT		2
2	12.40.312	Distance bolt M3x12.5		4
3	12.40.313	Distance bolt M3x13		6
4	12.57.005	Distance bolt M4x55	Dynacode Touch	6
5	28.57.0181	CABLE	DYNACODE	1
6	28.57.491	Connecting cable, PC power		1
7	28.57.492A	Connecting cable, touchpanel/DC power	Dynacode	1
8	28.57.493	Conncteing cable RJ45		1
9	28.57.494A	Connecting cable USB		1
10	28.57.495	Connecting cable CPU/circuit board	Dynacode	1
11	28.57.496B	Connecting cable voltage/touch inverter	Dynacode	1
12	28.57.497A	Connecting cable 48 V	Back panel/voltage distributor plate	1
13	37.57.400	Adhesive tape 6 mm		0,02
14	37.57.490B	TDT-COLOR DISPLAY 8,4" NEC	640x480, 256 COLORS	1
15	37.57.491B	BL-Inverter 12 V 84PW031		1
16	37.57.492A	ADVANTEC BOARD AMD LOW POWER		1
17	37.57.494A	DATA CABLE (BOARD / DISPLAY)		1
18	37.57.495	Touch controller RS-232 12 m		1
19	37.57.496	Touch screen 8.4"		1
20	37.57.497	ADAPTING CABLE TOUCH CONTROLLER		1
21	37.57.498A	SDRAM 128MB DDR333/400, SODIMM socket		1
22	37.88.001	Rubber-sponge		0,02
23	41.03.003V	Lock washer M3 stainless		15
24	45.57.495	Front panel touch-screen	Dynacode	1
25	48.10.308V	Setscrew M3x8 stainless		6
26	48.10.408V	Setscrew M4x8 stainless		6

*Recommended spare part

Modifications and errors excepted

Dynacode: 10.2024

78 / 79

90.57.990

Touch panel 8.4"

Option

Pos	Ident-No.	Description1	Description2	Quantity
27	48.14.105V	Pan screw M2x5 stainless		2
28	48.14.205V	Pan screw M2.5x5 stainless		2
29	48.14.208V	Pan screw M2.5x8 stainless		4
30	48.14.306V	Pan screw M3x6 stainless		15
31	48.14.406V	Pan screw M4x6 stainless		2
32	48.15.408V	Pan screw M4x8 stainless		6
33	50.01.009V	Lock washer M2 stainless		2
34	50.01.065V	Lock washer 4.3 stainless		2
35	50.01.069V	Lock washer M2.7 stainless		6
36	67.57.490	INTERMEDIATE BOTTOM TOUCH SCREEN		1
37	67.57.495	Touch screen cover		1
38	67.57.497	GUSSET TOUCH SCREEN		1
39	70.57.025	Circuit board voltage distributor 48 V-5/12 V	Dynacode touch screen terminal	1
40	82.57.490	Compactflash Touch Screen programmed "CV"		1

*Recommended spare part

Modifications and errors excepted

Dynacode: 10.2024

79 / 79