valentin DRUCKSYSTEME

Pica V

Spare parts list
Parts list



Modifications and errors excepted

Quality . Tradition . Innovation

71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead



71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead



Pos. 23 nicht gezeichnet!
Pos. 23 not illustrated!
Pos. 23 pas illustré!
Pos. 23 sin ilustración!

71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead



Pos. 23 nicht gezeichnet!
Pos. 23 not illustrated!
Pos. 23 pas illustré!
Pos. 23 sin ilustración!

71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead



71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead



71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1	10.41.012	Spacer roller		1
2	12.41.41002	Distance bolt M4x10		4
3	12.41.45001	Distance bolt M4x50		2
4	16.01.007	Edge protection profile	in meters	0,12m
5*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
6*	16.15.065	Label guiding	Pica	1
7	16.25.060	Bogie wheel	Pica	1
8	16.28.025	Belt drive	Pica	1
9	16.28.040	Guiding	Pica	1
10	16.28.060	Bogie wheel	Pica	1
11	16.48.025	Window	Vita/Pica II/Vario III	1
12	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
13*	18.01.001	Round belt, short	Pica I/Pica II	1
14*	18.01.002	Round belt 75 Shore A	252x3 mm	1
15*	18.28.001	Pressure roller	Pica II	1
16	18.28.010	Drive roller	Pica II	1
17*	28.29.0010	Connecting cable CPU/power supply	Pica V	1
18*	28.29.0150	Connecting cable keyboard adapter/CPU	Pica V	1
19	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
20*	28.48.0250	Winder supply line	Vita V/Vario V	1
21	28.79.070	Grounded conductor	Flexicode	1
22	35.01.001	Mounting base self-adhesive 19x19 mm		1
23	35.01.002	Cable joint 100x2.5 mm		8
24	37.29.101	Antistatic brush	Pica II	1
25	37.68.003	Double sided adhesive tape 9 mm		0,03
26	37.88.001	Rubber-sponge		0,01

*Recommended spare part

71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
27	40.01.004V	Shaft protection 4 mm stainless		1
28	40.01.006V	Shaft protection 6 mm stainless		3
29	41.02.002V	Fan shaped washer M4 stainless		1
30	41.03.003V	Lock washer M3 stainless		12
31	41.03.004V	Lock washer M4 stainless		11
32	41.03.006V	Lock washer M6 stainless		2
33	41.03.008V	Lock washer M8 stainless		1
34	45.28.025	Bearing	Pica	1
35	45.28.045	COCKING BOLT		1
36	45.29.005	Main plate	Pica II	1
37	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
38	46.29.101	PRINT HEAD AXIS		1
39	46.29.105	Pressure shaft		1
40	46.29.110	Bearing pillar		1
41	46.55.010	Brush shaft	Vario/Pica II	1
42	46.77.020	Ribbon pillar short	Pica	2
43	47.03.003V	Hexagon nut M3 stainless		2
44	47.04.001V	Hexagon nut M3 stainless		4
45	47.05.001V	Hexagon nut M4 stainless		4
46	47.07.001V	Hexagon nut M6 stainless		2
47	47.08.001	Hexagon nut M8		1
48	48.01.414	Hexagon screw M4x14		2
49	48.01.870	Hexagon screw M8x70		1
50	48.10.308V	Setscrew M3x8 stainless		2
51	48.15.204V	Countersunk screw M2.5x4 stainless		2
52*	48.16.009	Knurled screw M3x8		2

*Recommended spare part

71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
53*	48.16.022	Knurled screw M3x8		2
54	48.16.306V	Socket cap screw M3x6 stainless		2
55	48.16.412V	Socket cap screw M4x12 stainless		2
56	48.16.420V	Socket cap screw M4x20 stainless		2
57*	48.18.005	Spring pressure piece	Vario/Pica	2
58	48.19.408V	Socket cap screw A2 stainless M4x8		3
59	48.19.410V	Socket cap screw M4x10 stainless		4
60	48.24.304V	Pan screw M3x4 stainless		2
61	48.24.306V	Pan screw M3x6 stainless		14
62	48.24.320V	Pan screw M3x20 stainless		1
63	48.24.406V	Pan screw M4x6 stainless		9
64	48.24.410V	Pan screw M4x10 stainless		1
65	48.25.001	Shoulder screw M4	Solo/Pica	2
66	48.26.410V	Screw-and-washer assembly M4x10		4
67	48.31.306V	Pan screw with flange M3x6		7
68	50.01.057V	Washer 3.2 stainless		5
69	50.01.065V	Lock washer 4.3 stainless		5
70	50.50.802	Washer 8x14x0.2		2
71*	52.15.001	Brake spring, right	Pica/Desco/Solo/Vario/DPM II	1
72	52.29.001	Printhead spring	Pica II	1
73	55.29.0050	Cover foil 330 x 128 mm	Pica V	1
74*	57.01.008	Grooved ball bearing		2
75*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	2
76	57.52.001	Hinge		2
77	67.28.045	Sole plate, outside	Pica	1
78	67.29.001	Cover, left	Pica II	1

*Recommended spare part

71.29.700E

Pica V 10X print mechanism, thermal transfer
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
79	67.29.0050	Chassis	Pica V	1
80	67.29.0170	Connecting plate	Pica V	1
81	67.29.0200	Locking mechanism	Pica V	1
82	67.29.025	Sole plate, above	Pica II	1
83	67.29.1010	Base plate	Pica V	1
84	67.29.1050	Cover, right	Pica V	1
85	67.29.110	Printhead bracket	Pica II	1
86	67.29.120	Front sheet	Pica II	1
87	67.29.130	Tear-off edge	Pica II	1
88	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
89	70.29.0200	CPU complete	Pica V	1
90	71.29.0050	Power entry module cpl	Pica V	1
91	71.29.010	Label photocell transmission	Pica II	1
92	71.29.100	Stepper motor cpl	Pica II	1
93	71.56.008	Ribbon photocell cpl	Vita II/Vario III/Vario IV	1
94*	72.28.007	Ribbon rewinding/unwinding roller cpl	Desco/Vario/Pica	2
95*	72.28.020	Drive cpl	Pica	1
96	72.28.030	Carrier cpl	Pica	1
97	72.48.001	Washer, inside	Pica II/Vita II/Vita V	1
98	72.48.0020	Washer, outside	Vita V	1

*Recommended spare part

71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead



Pos. 16 nicht gezeichnet!
Pos. 16 not illustrated!
Pos. 16 pas illustré!
Pos. 16 sin ilustración!

71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead



71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead



Pos. 16 nicht gezeichnet!
Pos. 16 not illustrated!
Pos. 16 pas illustré!
Pos. 16 sin ilustración!

71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead



71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead



71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
1	12.41.41002	Distance bolt M4x10		4
2	12.41.45001	Distance bolt M4x50		2
3	16.01.007	Edge protection profile	in meters	0,12m
4*	16.01.011	Elastic bumper self-adhesive 20.6x20.6x7.6 mm		4
5*	16.15.065	Label guiding	Pica	1
6	16.28.040	Guiding	Pica	1
7	16.48.025	Window	Vita/Pica II/Vario III	1
8	16.52.158	Label unwinding roller	Compa II/Vita/Pica/Vario	1
9*	18.28.001	Pressure roller	Pica II	1
10*	28.29.0010	Connecting cable CPU/power supply	Pica V	1
11*	28.29.0150	Connecting cable keyboard adapter/CPU	Pica V	1
12	28.30.081	Grounded conductor 2	Vario/DPM/SPE/Dynacode/Pica/Flexicode/SPE II	1
13*	28.48.0250	Winder supply line	Vita V/Vario V	1
14	28.79.070	Grounded conductor	Flexicode	1
15	35.01.001	Mounting base self-adhesive 19x19 mm		1
16	35.01.002	Cable joint 100x2.5 mm		8
17	37.68.003	Double sided adhesive tape 9 mm		0,03
18	37.88.001	Rubber-sponge		0,01
19	40.01.004V	Shaft protection 4 mm stainless		1
20	40.01.006V	Shaft protection 6 mm stainless		1
21	41.02.002V	Fan shaped washer M4 stainless		1
22	41.03.003V	Lock washer M3 stainless		12
23	41.03.004V	Lock washer M4 stainless		11
24	41.03.008V	Lock washer M8 stainless		1
25	45.29.005	Main plate	Pica II	1
26	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1

*Recommended spare part

71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
27	46.29.101	PRINT HEAD AXIS		1
28	46.29.105	Pressure shaft		1
29	46.29.110	Bearing pillar		1
30	46.55.010	Brush shaft	Vario/Pica II	1
31	47.03.003V	Hexagon nut M3 stainless		2
32	47.04.001V	Hexagon nut M3 stainless		4
33	47.05.001V	Hexagon nut M4 stainless		4
34	47.08.001	Hexagon nut M8		1
35	48.01.414	Hexagon screw M4x14		2
36	48.01.870	Hexagon screw M8x70		1
37	48.10.308V	Setscrew M3x8 stainless		1
38*	48.16.009	Knurled screw M3x8		2
39*	48.16.022	Knurled screw M3x8		2
40	48.16.306V	Socket cap screw M3x6 stainless		2
41	48.16.412V	Socket cap screw M4x12 stainless		2
42*	48.18.005	Spring pressure piece	Vario/Pica	2
43	48.19.408V	Socket cap screw A2 stainless M4x8		3
44	48.19.410V	Socket cap screw M4x10 stainless		4
45	48.24.304V	Pan screw M3x4 stainless		2
46	48.24.306V	Pan screw M3x6 stainless		14
47	48.24.406V	Pan screw M4x6 stainless		9
48	48.26.410V	Screw-and-washer assembly M4x10		4
49	48.31.306V	Pan screw with flange M3x6		7
50	50.01.057V	Washer 3.2 stainless		4
51	50.01.065V	Lock washer 4.3 stainless		2
52	52.29.001	Printhead spring	Pica II	1

*Recommended spare part

71.29.750E

Pica V 10X print mechanism, thermal
pre-assembled w/o printhead

Pos	Ident-No.	Description1	Description2	Quantity
53	55.29.0050	Cover foil 330 x 128 mm	Pica V	1
54*	57.28.005	Clip bearing	Pica/DPM III/SPE/Vita	2
55	57.52.001	Hinge		2
56	67.28.045	Sole plate, outside	Pica	1
57	67.29.001	Cover, left	Pica II	1
58	67.29.0050	Chassis	Pica V	1
59	67.29.0170	Connecting plate	Pica V	1
60	67.29.0200	Locking mechanism	Pica V	1
61	67.29.025	Sole plate, above	Pica II	1
62	67.29.1010	Base plate	Pica V	1
63	67.29.1050	Cover, right	Pica V	1
64	67.29.110	Printhead bracket	Pica II	1
65	67.29.120	Front sheet	Pica II	1
66	67.29.130	Tear-off edge	Pica II	1
67	67.48.035	Interface cover	Vita II/Compa II/Pica II/Duop/Vario III/Spectra II	1
68	70.29.0200	CPU complete	Pica V	1
69	71.29.0050	Power entry module cpl	Pica V	1
70	71.29.010	Label photocell transmission	Pica II	1
71	71.29.100	Stepper motor cpl	Pica II	1
72	72.28.030	Carrier cpl	Pica	1
73	72.48.001	Washer, inside	Pica II/Vita II/Vita V	1
74	72.48.0020	Washer, outside	Vita V	1

*Recommended spare part

90.29.100E

Pica V 104/8 thermal transfer printer 200 dpi
with Labelstar Office Lite



Pos. 1,15 nicht gezeichnet
Pos. 1,15 not illustrated
Pos. 1,15 pas illustré
Pos. 1,15 sin ilustración

90.29.100E

Pica V 104/8 thermal transfer printer 200 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.15.011	Connecting cable CPU-power supply 250 mm	Desco/DPM II/Spectra 216/Pica II/Dynacode	1
3*	28.42.195	Printhead cable, power supply		1
4*	37.04.1156	Thermal printhead 104-8	Pica II+V/Vita II+V, including intermediate layer	1
5	37.29.003	Power supply	Pica II 104/Pica II 106	1
6*	37.29.0035	Terminal cover for power supply		1
7	45.48.125	Guiding	Vita/Pica II	1
8	48.14.105V	Pan screw M2x5 stainless		3
9	48.16.304V	Socket cap screw M3x4 stainless		2
10	48.22.408	Screw M4.8		1
11	50.01.009V	Lock washer M2 stainless		3
12	50.01.057V	Washer 3.2 stainless		2
13	71.29.0330	Control unit cpl	Pica V	1
14	71.29.700E	Pica V 10X print mechanism, thermal transfer	pre-assembled w/o printhead	1
15	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.29.151E

Pica V 103/8 T thermal printer 200 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.42.190	Printhead cable, power supply		1
3*	28.42.191	Printhead cable, data signals		1
4*	37.04.3032	Thermal printhead 103-8	Vita V / Pica V, including intermediate layer	1
5	37.29.001	Power supply	Pica II 103/Pica II 108	1
6	48.16.304V	Socket cap screw M3x4 stainless		2
7	48.22.408	Screw M4.8		1
8	50.01.057V	Washer 3.2 stainless		2
9	71.29.0330	Control unit cpl	Pica V	1
10	71.29.750E	Pica V 10X print mechanism, thermal	pre-assembled w/o printhead	1
11	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.29.200E

Pica V 106/12 thermal transfer printer 300 dpi
with Labelstar Office Lite



Pos. 1,15 nicht gezeichnet
Pos. 1,15 not illustrated
Pos. 1,15 pas illustré
Pos. 1,15 sin ilustración

90.29.200E

Pica V 106/12 thermal transfer printer 300 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.15.011	Connecting cable CPU-power supply 250 mm	Desco/DPM II/Spectra 216/Pica II/Dynacode	1
3*	28.42.195	Printhead cable, power supply		1
4*	37.04.2326	Thermal printhead 106-12	Pica II+V/Vita II+V, including intermediate layer	1
5	37.29.003	Power supply	Pica II 104/Pica II 106	1
6*	37.29.0035	Terminal cover for power supply		1
7	45.48.125	Guiding	Vita/Pica II	1
8	48.14.105V	Pan screw M2x5 stainless		3
9	48.16.304V	Socket cap screw M3x4 stainless		2
10	48.22.408	Screw M4.8		1
11	50.01.009V	Lock washer M2 stainless		3
12	50.01.057V	Washer 3.2 stainless		2
13	71.29.0330	Control unit cpl	Pica V	1
14	71.29.700E	Pica V 10X print mechanism, thermal transfer	pre-assembled w/o printhead	1
15	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.29.251E

Pica V 108/12 T thermal printer 300 dpi
with Labelstar Office Lite

Pos	Ident-No.	Description1	Description2	Quantity
1	24.01.012	Power cable 2 m		1
2*	28.42.190	Printhead cable, power supply		1
3*	28.42.191	Printhead cable, data signals		1
4*	37.04.3032	Thermal printhead 103-8	Vita V / Pica V, including intermediate layer	1
5	37.29.001	Power supply	Pica II 103/Pica II 108	1
6	48.16.304V	Socket cap screw M3x4 stainless		2
7	48.22.408	Screw M4.8		1
8	50.01.057V	Washer 3.2 stainless		2
9	71.29.0330	Control unit cpl	Pica V	1
10	71.29.750E	Pica V 10X print mechanism, thermal	pre-assembled w/o printhead	1
11	89.02.002	Data cable USB 1.8 m plug A to plug B		1

*Recommended spare part

90.29.500E

Dispenser without photocell

Pica V option



90.29.500E

Dispenser without photocell
Pica V option

Pos	Ident-No.	Description1	Description2	Quantity
1	12.48.501	Bearing bolt	Vita/Pica	1
2	16.29.505	Return pulley	Pica II	1
3	16.48.5100	Snap-in device, green	Vita V, dispenser	1
4	40.01.002V	Shaft protection 2.3 mm stainless		1
5	40.01.003V	Shaft protection 3.2 mm stainless		3
6	45.29.501	Bearing	Pica II	1
7	45.29.505	GUIDING DEVICE		1
8	45.55.301	Dispensing pillar	Vario/Pica II	1
9	46.29.500	Shaft for pressure roller	Pica II	1
10	46.29.515	Dispenser shaft	Pica II	1
11	48.10.004V	Setscrew M3x4 stainless		1
12	48.13.038	Socket cap screw 3x8		2
13	48.19.306V	Socket cap screw M3x6 stainless		5
14	48.24.306V	Pan screw M3x6 stainless		2
15	48.48.001	Screw	Vita/Pica	1
16	52.10.005	Compression spring	Genio/Vita/Pica	1
17	67.29.500	DISPENSING ANGLE	PICA II	1
18	72.29.501	Pressure roller cpl	Vita II/Pica II	1

*Recommended spare part

90.29.550E

Dispenser with photocell
Pica V option



90.29.550E

Dispenser with photocell
Pica V option

Pos	Ident-No.	Description1	Description2	Quantity
1	48.04.208V	Screw M2x8 stainless		1
2	50.01.009V	Lock washer M2 stainless		1
3	71.48.501A	Dispenser photocell cpl	Pica II/Vita II/Vario III	1
4	90.29.500E	Dispenser without photocell	Pica V option	1

*Recommended spare part

90.29.555

Dispenser with photocell and rollers
Pica II option



90.29.555

Dispenser with photocell and rollers
Pica II option

Pos	Ident-No.	Description1	Description2	Quantity
1	48.04.208	Screw M2x8		1
2	50.01.009	Lock washer 5x2x0.3		1
3	71.48.501A	Dispenser photocell cpl	Pica II/Vita II/Vario III	1
4	90.28.305A	Label dispenser without photocell	Pica, with rollers	1

*Recommended spare part

90.29.600E

Cutter unit Guillotine

Pica V option



Pos. 6, 10, 13, 21, 24, 25, 31, 2x 32, 39, 44, 47 werden beigelegt.

90.29.600E

Cutter unit Guillotine
Pica V option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.29.601	Spacer	Pica II	2
2	10.48.624	Bearing flange	Vita II/Pica II	1
3	12.29.655	Adjusting screw	Pica II	1
4	12.48.605	Bearing bolt	Vita/Pica	1
5	12.48.624	Spring pillar	Vita II/Pica II	1
6	16.29.615	Label guiding	Pica II	2
7	16.48.605	Guiding	Vita/Pica	1
8	16.48.614	Slide part	Vita II/Pica II	1
9*	16.55.201	Sliding part	Vario/Spectra 216/Vita/Pica	1
10	28.48.020A	Connecting cable cutter plate/CPU	Vita II/Pica II	1
11	40.01.003V	Shaft protection 3.2 mm stainless		9
12	40.01.004V	Shaft protection 4 mm stainless		1
13	45.29.620	Ledge	Pica II	1
14	45.48.610	Whip bearing	Vita II/Pica II	1
15	45.48.614	Whip bearing	Vita II/Pica II	1
16	45.55.201	Strut	Vario/Vita/Pica	1
17	46.48.601	Bearing shaft	Vita/Pica	1
18	46.48.614	Bearing shaft	Vita II/Pica II	1
19	46.88.655	Whip shaft	Spectra 216/Vita II/Pica II	1
20	47.04.001V	Hexagon nut M3 stainless		1
21	48.04.001	Screw M3x8		1
22	48.10.303	Setscrew M3x3		2
23	48.15.206	Pan screw M2.5x6		3
24*	48.16.022	Knurled screw M3x8		2
25	48.16.306V	Socket cap screw M3x6 stainless		4
26	48.16.312V	Socket cap screw M3x12 stainless		2

*Recommended spare part

90.29.600E

Cutter unit Guillotine
Pica V option

Pos	Ident-No.	Description1	Description2	Quantity
27	48.19.306V	Socket cap screw M3x6 stainless		8
28	48.19.310V	Socket cap screw M3x10		3
29	48.19.408V	Socket cap screw A2 stainless M4x8		1
30	48.24.306V	Pan screw M3x6 stainless		7
31	48.24.310V	Pan screw M3x10 stainless		2
32	48.31.306V	Pan screw with flange M3x6		4
33	50.01.057V	Washer 3.2 stainless		2
34*	52.48.024	Spring	Vita II/Pica II	1
35*	57.02.090	Slide bearing		1
36*	57.03.012	Grooved ball bearing		1
37*	57.48.004	Slide bearing	Vita II/Pica II	1
38*	59.48.610	Driving gear	Vita II/Pica II	1
39	67.29.620	Front sheet	Pica II	1
40	67.29.625	Base plate	Pica II	1
41	67.29.630	Spring sheet	Pica II	1
42	67.48.601	Cutter angle	Vita II/Pica II	1
43	67.48.614	Plate transverse	Vita II/Pica II	1
44	67.48.615	Motor cover	Vita II/Pica II	1
45*	67.55.225	Cutter ledge fixed	Vario/Vita II/Pica II	1
46	67.55.245	Adjusting plate	Vario/Spectra 216/Vita II/Pica II	1
47	70.18.010	Circuit board cutter cpl	Micra/Vita II/Pica II/Vario III	1
48	71.48.650	Motor and photocell cpl	Pica II/Vita II	1
49*	72.48.605	Crank lever	Vita II/Pica II	1
50	72.48.624	Cutter sheet	Vita II/Pica II	1

*Recommended spare part

90.48.786E

Dispensing Inputs/Outputs
Vita V, Vario V, Pica V option



90.48.786E

Dispensing Inputs/Outputs
Vita V, Vario V, Pica V option

Pos	Ident-No.	Description1	Description2	Quantity
1	25.04.016	Cover 15-pin		1
2	25.04.046	SUB-D 26-pin		1
3	25.04.100	SUB-D fixing set		1
4	28.83.052A	Connecting cable I/O-CPU	SPX II	1
5	41.02.001	FAN SHAPED WASHER M3		1
6	47.04.001V	Hexagon nut M3 stainless		1
7*	70.39.005	I/O plate cpl		1
8	72.48.501	PCB guiding assembled		1

*Recommended spare part

90.29.790

Label unwinder
Pica II+V option



90.29.790

Label unwinder
Pica II+V option

Pos	Ident-No.	Description1	Description2	Quantity
1	10.29.001	Centering bushing	Pica II	1
2	41.03.006	Lock washer M6		1
3	45.15.011	Support pillar	Desco/Pica II	1
4	47.07.001	Hexagon nut M6		1
5	50.01.076	Lock washer M6		1
6	72.15.041	Label holder outside, 40 mm	Pica/Vario II/Vario III, option	1
7	72.29.001	Label holder, inside 40 mm	Pica II	1

*Recommended spare part

92.48.001

Rewinder PR 48 for labels
Vita II+V / Pica II+V



	Motor Pos.7		+	-	Pos.1
Rev. -	2225F024S	(21.01.060)	ws	br	10.63.041
Rev. A	2224R036SR	(21.01.062)	br	ws	10.48.901

▲ Fett, Grease, Graisse

92.48.001

Rewinder PR 48 for labels
Vita II+V / Pica II+V

Pos	Ident-No.	Description1	Description2	Quantity
1	10.48.901	Striker arm	PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.062	Motor with drive	PR48/PR49	1
8	28.48.925	Winder connecting cable for PR48/PR 45 II		1
9	29.02.005	Condenser		1
10	35.01.002	Cable joint 100x2.5 mm		1
11	35.05.030	Cover black		1
12	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
13	45.25.001	SPACER BLOCK		1
14	48.10.004	Setscrew M3x4		2
15	48.14.110V	Pan screw M2x10 stainless		3
16	48.15.406	Countersunk screw M4 x 6		2
17	48.16.004	Socket cap screw M4x25		1
18	48.16.412	Socket cap screw M4x12		1
19	48.16.430	Socket cap screw M4x30		2
20	50.01.065	Lock washer 4.3		2
21	50.01.096	Lock washer 4.3x20x1.25		1
22	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
23*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
24	67.48.905	Base plate for PR48	Vita/Pica II	1

*Recommended spare part

92.48.010

Rewinder PR 49 for label carrier
Vita II+V / Pica II+V



	Motor Pos.7		+	-	Pos.1
Rev. -	2225F024S	(21.01.060)	br	ws	10.63.041
Rev. A	2224R036SR	(21.01.062)	ws	br	10.48.901

▲ Fett, Grease, Graisse

92.48.010

Rewinder PR 49 for label carrier
Vita II+V / Pica II+V

Pos	Ident-No.	Description1	Description2	Quantity
1	10.48.901	Striker arm	PR48/PR49	1
2	10.63.045	Bearing	PR30/25/26/28/48/49	1
3*	12.15.035	Clasp	Spectra/Vario/PR28/PR48/PR49	1
4	12.48.905	Centering pin	PR 48/PR 49	2
5*	16.01.015	Elastic bumper self-adhesive 20.6x20.6x13.2 mm		2
6	16.28.045	Rewinding roller	PR28/48/49	1
7	21.01.062	Motor with drive	PR48/PR49	1
8	28.48.930	Winder connecting cable for PR49	Vita/Pica	1
9	29.02.005	Condenser		1
10	35.05.030	Cover black		1
11	45.03.010	Motor bracket	PR30/PR25/PR26/PR28/PR48/PR49	1
12	45.25.001	SPACER BLOCK		1
13	46.15.040	Return pulley	Desco/PR28/PR49/Pica	1
14	48.10.004	Setscrew M3x4		2
15	48.14.110V	Pan screw M2x10 stainless		3
16	48.15.406	Countersunk screw M4 x 6		2
17	48.16.004	Socket cap screw M4x25		1
18	48.16.410	Socket cap screw M4x10		1
19	48.16.412	Socket cap screw M4x12		1
20	48.16.430	Socket cap screw M4x30		1
21	50.01.065	Lock washer 4.3		3
22	50.01.096	Lock washer 4.3x20x1.25		1
23	50.01.940	Striker arm plate	PR30/PR25/PR26/PR28/PR48/PR49	2
24*	52.01.007	Compression spring	Spectra/SPE/Vario/PR25/26/28/45/48/49/ILX	1
25	67.48.915	Base plate for PR49	Vita/Pica II	1

*Recommended spare part